

PHP Mode 0.0.3

A GNU XEmacs mode for editing PHP language

Vincent DEBOUT

Copyright © 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

This manual is free documentation; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

This manual is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License, the file 'COPYING', along with PHP Mode. If not, see <http://www.gnu.org/licenses/gpl> or write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

1 Introduction

Inspired from **PHP-Mode** and from **VHDL-Mode**, this new PHP Mode combines the advantages of the two modes to simplify the writing of PHP code: highlight, indentation, completion, templates, navigation into the file (functions and class), navigation into source files...

Features (new features in **bold**) :

- Completion
- Customizable
- Highlight
- Indentation
- Menu
- Stuttering
- Templates
 - .NET
 - Apache
 - Array
 - Control Structures ("declare" function excepted)
 - Date/Time
 - Directory
 - **Email**
 - **Error and Logging**
 - Filesystem ("fscanf" and "set_file_buffer" functions excepted)
 - Functions
 - **Image**
 - **Mathematical**
 - Miscellaneous
 - MySQL
 - **Regular expressions**
 - Sessions
 - **Strings**
 - **Variables**
 - **XML**

This manual describes PHP Mode version 0.0.3.

2 Installation

2.1 Requirements

PHP Mode is a XEmacs major mode that needs the following software/packages:

- **XEmacs**.
- ‘font-lock’ mode generally installed with XEmacs.
- ‘assoc’ mode generally installed with XEmacs.
- ‘easymenu’ mode generally installed with XEmacs.
- ‘hippie-exp’ mode generally installed with XEmacs.

Before continuing, you must be sure to have all this packages installed.

2.2 Download

Two internet address to download PHP Mode :

- Principal: **PHP-Mode 0.0.3** (<http://deboutv.free.fr/lisp/php/>)
- Secondary: **PHP-Mode 0.0.3** (<http://www.morinie.fr/lisp/php/>)
- Old releases: **PHP-Mode** (<http://deboutv.free.fr/lisp/php/>)

2.3 Installation

2.3.1 Installation

To install PHP Mode you need to choose an installation directory (for example ‘/usr/local/share/lisp’ or ‘c:\lisp’). The administrator must have the write rights on this directory.

With your favorite unzip software, unzip the archive in the installation directory.

Example:

```
cd /usr/local/share/lisp
tar zxvf php-mode-0.0.3.tar.gz
```

Now you have a ‘php’ directory in the installation directory. This directory contains 2 files ‘php-mode.el’ and ‘php-mode.elc’ and another directory ‘docs’ containing the documentation.

You need to configure XEmacs. open you initialization file ‘init.el’ (open the file or start XEmacs then choose the *Options* menu and *Edit Init File*). Add the following lines (the installation directory in this example is ‘/usr/local/share/lisp’) :

```
(setq load-path
      (append (list "/usr/local/share/lisp/") load-path))
(autoload 'php-mode "php-mode" "PHP mode" t)
```

2.3.2 Update

The update is easy. You need to unzip the archive in the installation directory to remove the old release.

Example:

```
cd /usr/local/share/lisp
rm -rf php
tar zxvf php-mode-0.0.3.tar.gz
```

2.4 Invoke PHP-Mode

You have two possibilities to invoke the PHP Mode.

- Manually: At each file opening you need to launch PHP Mode with the following command:

```
M-x php-mode
```

- Automatically: Add the following lines in your initialization file ‘`init.el`’:

```
(setq auto-mode-alist
      (append
        '(("\\.php$" . php-mode)
          (\\.php5$" . php-mode))
        auto-mode-alist))
```

3 Customization

This chapter describes the different parameters and functions that you can change to customize PHP Mode. To do that, open a PHP file, click on the *PHP* menu and choose *Options* then *Browse Options...*

3.1 Parameters

3.1.1 Mode

PHP Mode has 3 modes allowing to simplify the writing of PHP code. You can enable/disable each mode individually.

`'php-electric-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable automatic generation of template. If `'nil'`; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by `"/e"` after the mode name and can be toggled by `'php-electric-mode'`.

`'php-stutter-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable the stuttering. Is indicated in the modeline by `"/s"` after the mode name and can be toggled by `'php-stutter-mode'`.

`'php-indent-tabs-mode'`

Type: *boolean*

Default value: `'nil'`

Description: If `'t'`; indentation is made with tabs. If `'nil'`; indentation is made with spaces.

3.1.2 Menu

PHP Mode has also 2 menus that you can enable/disable. The menus *Index* and *Sources* are specific to each PHP file opened.

`'php-index-menu'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Index* menu is enabled. It shows the list of class and functions of the opened file. The *Index* menu scans the file when it is opened.

`'php-index-menu-auto-rescan'`

Type: *boolean*

Default value: `'t'`

Description: If ‘t’; the *Index* menu is updated when a function or a class is added or removed.

‘php-source-file-menu’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *Sources* menu is enabled. This menu contains the list of PHP file located in the current directory. The *Sources* menu scans the directory when a file is opened.

3.1.3 Templates

‘php-include-in-parenthesis’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *include* et *require* functions are used with parenthesis (example : `require('required_file.php');`). If ‘nil’; the *include* and *require* functions are used without parenthesis (example : `include_once 'required_file.php';`)

‘php-add-fclose-with-fopen’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *fclose* function is added when the template of the *fopen* function is executed.

‘php-add-mysql-close-when-connect’

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *mysql_close* function is added when the template of *mysql_connect* function is executed.

3.1.3.1 Header

‘php-file-header’

Type: *string*

Default value: ‘”

/**

* <description string>

*

*

* Created: <date>

* Last update: <date>

*

* @link <link string>

* @copyright <copyright>

* @author <author>

* @package <package string>

```
* @version <version string>
*/
```

```
<cursor>"'
```

Description: String or file to insert as file header. If the string specifies an existing file name the contents of the file is inserted; otherwise the string itself is inserted as file header.

Type ‘C-j’ for newlines.

The following keywords are supported:

<filename>: replaced by the file name.

<author>: replaced by the user name and email address.

<login>: replaced by ‘user-login-name’.

<company>: replaced by ‘php-company-name’ content.

<date>: replaced by the current date.

<year>: replaced by the current year.

<copyright>: replaced by ‘php-copyright-string’ content.

<cursor>: final cursor position.

‘php-file-footer’

Type: *string*

Default value: “”

Description: String or file to insert as file footer. See ‘php-file-header’

‘php-company-name’

Type: *string*

Default value: “”

Description: Name of the company to insert in file header.

‘php-copyright-string’

Type: *string*

Default value: “”

Description: Copyright string to insert in file header.

‘php-date-format’

Type: *string*

Default value: “%Y-%m-%d”

Description: Date format.

‘php-modify-date-prefix-string’

Type: *string*

Default value: “ * Last update: ”

Description: Prefix string of modification date in PHP file header.

‘php-modify-date-on-saving’

Type: *bool*

Default value: ‘t’

Description: If ‘t’; update the modification date when the buffer is saved.

3.1.4 Style

`'php-basic-offset'`

Type: *integer*

Default value: '4'

Description: Amount of basic offset used for indentation.

3.1.5 PHPDocumentor

`'php-enable-phpdocumentor-tags'`

Type: *bool*

Default value: 't'

Description: If 't'; PHP-Documentor tags are added into the class and functions comments.

`'php-class-tags'`

Type: *list (string)*

Default value: '' ("package")'

Description: List of PHP-Documentor tags to add into the class comments.

`'php-function-tags'`

Type: *list (string)*

Default value: '' ()'

Description: List of PHP-Documentor tags to add into the functions comments.

3.1.6 Miscellaneous

`'php-intelligent-tab'`

Type: *bool*

Default value: 't'

Description: If 't'; TAB does indentation; completion and insert tabulations. If 'nil'; TAB does only indentation.

`'php-word-completion-in-minibuffer'`

Type: *bool*

Default value: 't'

Description: If 't'; enable completion in the minibuffer.

`'php-word-completion-case-sensitive'`

Type: *bool*

Default value: 'nil'

Description: If 't'; completion is case sensitive.

3.2 Functions

3.2.1 Mode

`'php-electric-mode'`

Menu: *PHP → Options → Mode → Electric Mode*

Keybinding: *C-c C-m C-e*

Description: This functions is used to enable/disable the electric mode.

`'php-stutter-mode'`

Menu: *PHP → Options → Mode → Stutter Mode*

Keybinding: *C-c C-m C-s*

Description: This function is used to enable/disable the stutter mode.

4 Menus

There are 3 menus: *PHP*, *Index* and *Sources*. All these menus can be accessed from the menubar or from the right click. This chapter describes each menu.

4.1 PHP

This is the main menu of PHP Mode. It allows an easy access to the main features of the PHP Mode: *Templates* (see [Chapter 8 \[Templates\]](#), page 14), *Indentation* (see [Chapter 6 \[Indentation\]](#), page 12) and *Options* (see [Chapter 3 \[Customization\]](#), page 4).

This menu contains also 3 functions that are discussed in the next part.

4.1.1 Functions

`'php-show-messages'`

Menu: *PHP* → *Show Messages*

Keybinding: *C-c M-m*

Description: This function opens the **Messages** buffer to display previous error messages.

`'php-doc-mode'`

Menu: *PHP* → *PHP Mode Documentation*

Keybinding: *C-c C-h*

Description: This function opens the **Help** buffer and prints in it the PHP Mode documentation.

`'php-version'`

Menu: *PHP* → *Version*

Keybinding: *C-c C-v*

Description: This function displays in the minibuffer the current PHP Mode version with the timestamp.

4.2 Index

The *Index* menu allows you to navigate into the current buffer to find functions and classes. This menu is built during the buffer opening and you need to refresh it if you add or remove functions or classes. There is one *Index* menu per buffer.

4.2.1 Customization

`'php-index-menu'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Index* menu is enabled. It shows the list of class and functions of the opened file. The *Index* menu scans the file when it is opened.

`'php-index-menu-auto-rescan'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Index* menu is updated when a function or a class is added or removed.

4.3 Sources

The *Sources* menu shows the PHP files in the current directory. If you add or delete a file in the current directory, you need to refresh the menu.

4.3.1 Customization

`'php-source-file-menu'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; the *Sources* menu is enabled. This menu contains the list of PHP file located in the current directory. The *Sources* menu scans the directory when a file is opened.

4.3.2 Functions

`'php-add-source-files-menu'`

Menu: *Sources* → **Rescan**

Keybinding: *C-c C-s C-u*

Description: This function is used to refresh the *Sources* menu.

5 Completion

Completion allows you to write PHP code by reducing errors in function names or variable names. It also suggests PHP function names.

To use completion, write the first letters and use `(TAB)` to complete the word until you find the perfect completion. For example, in a blank PHP buffer, type "mysql_" and complete the function name with `(TAB)`: all `mysql_*` functions are proposed.

Completion can occur with the supported PHP functions, the PHP code written in the current buffer and the PHP code written in all other files that are opened in the current XEmacs window.

Completion is customizable.

5.1 Customization

`'php-intelligent-tab'`

Type: *bool*

Default value: 't'

Description: If 't'; TAB does indentation; completion and insert tabulations. If 'nil'; TAB does only indentation.

`'php-word-completion-in-minibuffer'`

Type: *bool*

Default value: 't'

Description: If 't'; enable completion in the minibuffer.

`'php-word-completion-case-sensitive'`

Type: *bool*

Default value: 'nil'

Description: If 't'; completion is case sensitive.

6 Indentation

Indentation can be done with spaces or TAB characters. A new line is automatically indented. You can manually indent or remove indentation by placing the cursor at the beginning of the first word and by using the `(TAB)` key.

6.1 Customization

`'php-indent-tabs-mode'`

Type: *boolean*

Default value: `'nil'`

Description: If `'t'`; indentation is made with tabs. If `'nil'`; indentation is made with spaces.

`'php-basic-offset'`

Type: *integer*

Default value: `'4'`

Description: Amount of basic offset used for indentation.

6.2 Functions

`'indent-according-to-mode'`

Menu: *PHP → Indent → Line*

Keybinding: *C-c C-i C-l*

Description: This function is used to indent the current line (the line where the cursor is).

`'php-indent-region'`

Menu: *PHP → Indent → Region*

Keybinding: *M-C-*

Description: This function is used to indent the selected region in the current buffer.

`'php-indent-buffer'`

Menu: *PHP → Indent → Buffer*

Keybinding: *C-c C-i C-b*

Description: This function is used to indent the buffer.

7 Stuttering

The stutter mode is a mode that affects a function to a key. For example, when you use the *ENTER* key, the associated function will create a new line and indent it.

7.1 Customization

`'php-stutter-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable the stuttering. Is indicated in the modeline by `"/s"` after the mode name and can be toggled by `'php-stutter-mode'`.

7.2 Functions

<i>SPACE</i>	If in comment, indent the comment and add new line if necessary. In other case, add a space.
<i>ENTER</i>	Insert a new line and indent it.
<code>}</code>	Insert a new line and indent it.
<code>;</code>	Insert a new line and indent it.
<code>*</code>	If the previous character is a <code>'/'</code> , a prompt will ask you for inserting a <code>'/* */'</code> comment type (with the <i>SPACE</i> key) or <code>'/** *'</code> comment type (with the <code>*</code> key).
<code>(</code>	If the previous character is a <code>'('</code> , the <code>'(('</code> will be replaced by <code>'['</code> . If the previous character is a <code>'['</code> , the <code>'[('</code> will be replaced by <code>'{'</code> . In other case, insert a <code>'('</code> .
<code>)</code>	If the previous character is a <code>')'</code> , the <code>'))'</code> will be replaced by <code>']'</code> . If the previous character is a <code>']'</code> , the <code>'])'</code> will be replaced by <code>'}'</code> . In other case, insert a <code>)'</code> .

8 Templates

In the PHP Mode, the PHP functions (like if, while, for, fopen, fclose) are predefined in functions called "Templates".

Each template can be invoked by the function name or by using the `<SPACE>` key after the PHP function name in the buffer (Note, using `M-<SPACE>` disable the template).

A template can be aborted by using the `C-g` or by leaving empty the template prompt (in the minibuffer).

8.1 Customization

`'php-electric-mode'`

Type: *boolean*

Default value: `'t'`

Description: If `'t'`; enable automatic generation of template. If `'nil'`; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by `"/e"` after the mode name and can be toggled by `'php-electric-mode'`.

For a complete description of the template customizable variables, see [Section 3.1.3 \[Cu01-Pa01-Template\]](#), page 5

8.2 Functions

8.2.1 .NET

`'php-template-dotnet-load'`

Menu: *PHP -> Templates -> .NET -> dotnet_load*

Keybinding: *none*

PHP Function: `dotnet_load`

8.2.2 Apache

`'php-template-apache-child-terminate'`

Menu: *PHP -> Templates -> Apache -> apache_child_terminate*

Keybinding: *none*

PHP Function: `apache_child_terminate`

`'php-template-apache-get-modules'`

Menu: *PHP -> Templates -> Apache -> apache_get_modules*

Keybinding: *none*

PHP Function: `apache_get_modules`

`'php-template-apache-get-version'`

Menu: *PHP -> Templates -> Apache -> apache_get_version*

Keybinding: *none*

PHP Function: `apache_get_version`

`'php-template-apache-getenv'`
Menu: *PHP → Templates → Apache → apache_getenv*
Keybinding: *none*
PHP Function: *apache_getenv*

`'php-template-apache-lookup-uri'`
Menu: *PHP → Templates → Apache → apache_lookup_uri*
Keybinding: *none*
PHP Function: *apache_lookup_uri*

`'php-template-apache-note'`
Menu: *PHP → Templates → Apache → apache_note*
Keybinding: *none*
PHP Function: *apache_note*

`'php-template-apache-request-headers'`
Menu: *PHP → Templates → Apache → apache_request_headers*
Keybinding: *none*
PHP Function: *apache_request_headers*

`'php-template-apache-reset-timeout'`
Menu: *PHP → Templates → Apache → apache_reset_timeout*
Keybinding: *none*
PHP Function: *apache_reset_timeout*

`'php-template-apache-response-headers'`
Menu: *PHP → Templates → Apache → apache_response_headers*
Keybinding: *none*
PHP Function: *apache_response_headers*

`'php-template-apache-setenv'`
Menu: *PHP → Templates → Apache → apache_setenv*
Keybinding: *none*
PHP Function: *apache_setenv*

`'php-template-ascii2ebcdic'`
Menu: *PHP → Templates → Apache → ascii2ebcdic*
Keybinding: *none*
PHP Function: *ascii2ebcdic*

`'php-template-ebcdic2ascii'`
Menu: *PHP → Templates → Apache → ebcdic2ascii*
Keybinding: *none*
PHP Function: *ebcdic2ascii*

`'php-template-getallheaders'`
Menu: *PHP → Templates → Apache → getallheaders*
Keybinding: *none*
PHP Function: *getallheaders*

`'php-template-virtual'`

Menu: *PHP → Templates → Apache → virtual*

Keybinding: *none*

PHP Function: *virtual*

8.2.3 Array Functions

`'php-template-array-change-key-case'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_change_key_case*

Keybinding: *none*

PHP Function: *array_change_key_case*

`'php-template-array-chunk'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_chunk*

Keybinding: *none*

PHP Function: *array_chunk*

`'php-template-array-combine'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_combine*

Keybinding: *none*

PHP Function: *array_combine*

`'php-template-array-count-values'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_count_values*

Keybinding: *none*

PHP Function: *array_count_values*

`'php-template-array-diff-assoc'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff_assoc*

Keybinding: *none*

PHP Function: *array_diff_assoc*

`'php-template-array-diff-key'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff_key*

Keybinding: *none*

PHP Function: *array_diff_key*

`'php-template-array-diff-uassoc'`

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_diff_uassoc*

Keybinding: *none*

PHP Function: *array_diff_uassoc*

`'php-template-array-diff-ukey'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_diff_ukey*

Keybinding: *none*

PHP Function: *array_diff_ukey*

`'php-template-array-diff'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_diff*

Keybinding: *none*

PHP Function: *array_diff*

`'php-template-array-fill'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_fill*

Keybinding: *none*

PHP Function: *array_fill*

`'php-template-array-filter'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_filter*

Keybinding: *none*

PHP Function: *array_filter*

`'php-template-array-flip'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_flip*

Keybinding: *none*

PHP Function: *array_flip*

`'php-template-array-intersect-assoc'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_intersect_assoc*

Keybinding: *none*

PHP Function: *array_intersect_assoc*

`'php-template-array-intersect-key'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_intersect_key*

Keybinding: *none*

PHP Function: *array_intersect_key*

`'php-template-array-intersect-uassoc'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_intersect_uassoc*

Keybinding: *none*

PHP Function: *array_intersect_uassoc*

`'php-template-array-intersect-ukey'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_intersect_ukey*

Keybinding: none
PHP Function: array_intersect_ukey

‘php-template-array-intersect’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect*
Keybinding: none
PHP Function: array_intersect

‘php-template-array-exists’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_key_exists*
Keybinding: none
PHP Function: array_key_exists

‘php-template-array-keys’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_keys*
Keybinding: none
PHP Function: array_keys

‘php-template-array-map’

Menu: *PHP → Templates → Array functions → Array (array_change → array_map) → array_map*
Keybinding: none
PHP Function: array_map

‘php-template-array-merge-recursive’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_merge_recursive*
Keybinding: none
PHP Function: array_merge_recursive

‘php-template-array-merge’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_merge*
Keybinding: none
PHP Function: array_merge

‘php-template-array-multisort’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_multisort*
Keybinding: none
PHP Function: array_multisort

‘php-template-array-pad’

Menu: *PHP → Templates → Array functions → Array (array_merge → array_uintersect_uassoc) → array_pad*
Keybinding: none
PHP Function: array_pad

`'php-template-array-pop'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_pop*

Keybinding: *none*

PHP Function: *array_pop*

`'php-template-array-product'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_product*

Keybinding: *none*

PHP Function: *array_product*

`'php-template-array-push'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_push*

Keybinding: *none*

PHP Function: *array_push*

`'php-template-array-rand'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_rand*

Keybinding: *none*

PHP Function: *array_rand*

`'php-template-array-reduce'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_reduce*

Keybinding: *none*

PHP Function: *array_reduce*

`'php-template-array-reverse'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_reverse*

Keybinding: *none*

PHP Function: *array_reverse*

`'php-template-array-search'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_search*

Keybinding: *none*

PHP Function: *array_search*

`'php-template-array-shift'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_shift*

Keybinding: *none*

PHP Function: *array_shift*

`'php-template-array-slice'`

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc)* → *array_slice*

Keybinding: none
PHP Function: array_slice

‘php-template-array-splice’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_splice*
Keybinding: none
PHP Function: array_splice

‘php-template-array-sum’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_sum*
Keybinding: none
PHP Function: array_sum

‘php-template-array-udiff-assoc’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_udiff_assoc*
Keybinding: none
PHP Function: array_udiff_assoc

‘php-template-array-udiff-uassoc’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_udiff_uassoc*
Keybinding: none
PHP Function: array_udiff_uassoc

‘php-template-array-udiff’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_udiff*
Keybinding: none
PHP Function: array_udiff

‘php-template-array-uintersect-assoc’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_uintersect_assoc*
Keybinding: none
PHP Function: array_uintersect_assoc

‘php-template-array-uintersect-uassoc’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_assoc) → array_uintersect_uassoc*
Keybinding: none
PHP Function: array_uintersect_uassoc

‘php-template-array-uintersect’

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list) → array_uintersect*
Keybinding: none
PHP Function: array_uintersect

- `'php-template-array-unique'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> array_unique*
Keybinding: none
PHP Function: array_unique
- `'php-template-array-unshift'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> array_unshift*
Keybinding: none
PHP Function: array_unshift
- `'php-template-array-values'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> array_values*
Keybinding: none
PHP Function: array_values
- `'php-template-array-walk-recursive'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> array_walk_recursive*
Keybinding: none
PHP Function: array_walk_recursive
- `'php-template-array-walk'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> array_walk*
Keybinding: none
PHP Function: array_walk
- `'php-template-array'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> array*
Keybinding: none
PHP Function: array
- `'php-template-arsort'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> arsort*
Keybinding: none
PHP Function: arsort
- `'php-template-asort'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> asort*
Keybinding: none
PHP Function: asort
- `'php-template-compact'`
Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> compact*

Keybinding: none
PHP Function: compact

‘php-template-count’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> count*
Keybinding: none
PHP Function: count

‘php-template-current’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> current*
Keybinding: none
PHP Function: current

‘php-template-each’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> each*
Keybinding: none
PHP Function: each

‘php-template-end’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> end*
Keybinding: none
PHP Function: end

‘php-template-extract’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> extract*
Keybinding: none
PHP Function: extract

‘php-template-in-array’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> in_array*
Keybinding: none
PHP Function: in_array

‘php-template-key’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> key*
Keybinding: none
PHP Function: key

‘php-template-krsort’

Menu: *PHP -> Templates -> Array functions -> Array (array_uintersect -> list) -> krsort*
Keybinding: none
PHP Function: krsort

`'php-template-ksort'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list) → ksort*
Keybinding: *none*
PHP Function: *ksort*

`'php-template-list'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list) → list*
Keybinding: *none*
PHP Function: *list*

`'php-template-natcasesort'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort) → natcasesort*
Keybinding: *none*
PHP Function: *natcasesort*

`'php-template-natsort'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort) → natsort*
Keybinding: *none*
PHP Function: *natsort*

`'php-template-next'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort) → next*
Keybinding: *none*
PHP Function: *next*

`'php-template-pos'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort) → pos*
Keybinding: *none*
PHP Function: *pos*

`'php-template-prev'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort) → prev*
Keybinding: *none*
PHP Function: *prev*

`'php-template-range'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort) → range*
Keybinding: *none*
PHP Function: *range*

`'php-template-reset'`
Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort) → reset*

Keybinding: none
PHP Function: reset

‘php-template-rsort’

Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort)*
→ *rsort*
Keybinding: none
PHP Function: rsort

‘php-template-shuffle’

Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort)*
→ *shuffle*
Keybinding: none
PHP Function: shuffle

‘php-template-sizeof’

Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort)*
→ *sizeof*
Keybinding: none
PHP Function: sizeof

‘php-template-sort’

Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort)*
→ *sort*
Keybinding: none
PHP Function: sort

‘php-template-uasort’

Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort)*
→ *uasort*
Keybinding: none
PHP Function: uasort

‘php-template-uksort’

Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort)*
→ *uksort*
Keybinding: none
PHP Function: uksort

‘php-template-usort’

Menu: *PHP* → *Templates* → *Array functions* → *Array (natcasesort → usort)*
→ *usort*
Keybinding: none
PHP Function: usort

8.2.4 Control Structures

‘php-template-break’

Menu: *PHP* → *Templates* → *Control Structures* → *break*
Keybinding: none
PHP Function: break

`'php-template-continue'`

Menu: *PHP → Templates → Control Structures → continue*

Keybinding: *none*

PHP Function: *continue*

`'php-template-do-while'`

Menu: *PHP → Templates → Control Structures → do-while*

Keybinding: *none*

PHP Function: *do-while*

`'php-template-else'`

Menu: *PHP → Templates → Control Structures → else*

Keybinding: *none*

PHP Function: *else*

`'php-template-elseif'`

Menu: *PHP → Templates → Control Structures → elseif*

Keybinding: *none*

PHP Function: *elseif*

`'php-template-for'`

Menu: *PHP → Templates → Control Structures → for*

Keybinding: *none*

PHP Function: *for*

`'php-template-foreach'`

Menu: *PHP → Templates → Control Structures → foreach*

Keybinding: *none*

PHP Function: *foreach*

`'php-template-if'`

Menu: *PHP → Templates → Control Structures → if*

Keybinding: *none*

PHP Function: *if*

`'php-template-include'`

Menu: *PHP → Templates → Control Structures → include*

Keybinding: *none*

PHP Function: *include*

`'php-template-include-once'`

Menu: *PHP → Templates → Control Structures → include_once*

Keybinding: *none*

PHP Function: *include_once*

`'php-template-require'`

Menu: *PHP → Templates → Control Structures → require*

Keybinding: *none*

PHP Function: *require*

`'php-template-require-once'`
Menu: *PHP → Templates → Control Structures → require_once*
Keybinding: *none*
PHP Function: *require_once*

`'php-template-return'`
Menu: *PHP → Templates → Control Structures → return*
Keybinding: *none*
PHP Function: *return*

`'php-template-switch'`
Menu: *PHP → Templates → Control Structures → switch*
Keybinding: *none*
PHP Function: *switch*

`'php-template-while'`
Menu: *PHP → Templates → Control Structures → while*
Keybinding: *none*
PHP Function: *while*

8.2.5 Date/Time Functions

`'php-template-checkdate'`
Menu: *PHP → Templates → Date/Time Functions → checkdate*
Keybinding: *none*
PHP Function: *checkdate*

`'php-template-date-default-timezone-get'`
Menu: *PHP → Templates → Date/Time Functions → date_default_timezone_get*

Keybinding: *none*
PHP Function: *date_default_timezone_get*

`'php-template-date-default-timezone-set'`
Menu: *PHP → Templates → Date/Time Functions → date_default_timezone_set*

Keybinding: *none*
PHP Function: *date_default_timezone_set*

`'php-template-date-sunrise'`
Menu: *PHP → Templates → Date/Time Functions → date_sunrise*
Keybinding: *none*
PHP Function: *date_sunrise*

`'php-template-date-sunset'`
Menu: *PHP → Templates → Date/Time Functions → date_sunset*
Keybinding: *none*
PHP Function: *date_sunset*

`'php-template-date'`
Menu: *PHP → Templates → Date/Time Functions → date*
Keybinding: none
PHP Function: date

`'php-template-getdate'`
Menu: *PHP → Templates → Date/Time Functions → getdate*
Keybinding: none
PHP Function: getdate

`'php-template-gettimeofday'`
Menu: *PHP → Templates → Date/Time Functions → gettimeofday*
Keybinding: none
PHP Function: gettimeofday

`'php-template-gmtime'`
Menu: *PHP → Templates → Date/Time Functions → gmdate*
Keybinding: none
PHP Function: gmdate

`'php-template-gmmktime'`
Menu: *PHP → Templates → Date/Time Functions → gmmktime*
Keybinding: none
PHP Function: gmmktime

`'php-template-gmstrftime'`
Menu: *PHP → Templates → Date/Time Functions → gmstrftime*
Keybinding: none
PHP Function: gmstrftime

`'php-template-idate'`
Menu: *PHP → Templates → Date/Time Functions → idate*
Keybinding: none
PHP Function: idate

`'php-template-localtime'`
Menu: *PHP → Templates → Date/Time Functions → localtime*
Keybinding: none
PHP Function: localtime

`'php-template-microtime'`
Menu: *PHP → Templates → Date/Time Functions → microtime*
Keybinding: none
PHP Function: microtime

`'php-template-mktime'`
Menu: *PHP → Templates → Date/Time Functions → mktime*
Keybinding: none
PHP Function: mktime

`'php-template-strftime'`
Menu: *PHP → Templates → Date/Time Functions → strftime*
Keybinding: *none*
PHP Function: *strftime*

`'php-template-strptime'`
Menu: *PHP → Templates → Date/Time Functions → strptime*
Keybinding: *none*
PHP Function: *strptime*

`'php-template-strtotime'`
Menu: *PHP → Templates → Date/Time Functions → strtotime*
Keybinding: *none*
PHP Function: *strtotime*

`'php-template-time'`
Menu: *PHP → Templates → Date/Time Functions → time*
Keybinding: *none*
PHP Function: *time*

8.2.6 Directory Functions

`'php-template-chdir'`
Menu: *PHP → Templates → Directory Functions → chdir*
Keybinding: *none*
PHP Function: *chdir*

`'php-template-chroot'`
Menu: *PHP → Templates → Directory Functions → chroot*
Keybinding: *none*
PHP Function: *chroot*

`'php-template-dir'`
Menu: *PHP → Templates → Directory Functions → dir*
Keybinding: *none*
PHP Function: *dir*

`'php-template-closedir'`
Menu: *PHP → Templates → Directory Functions → closedir*
Keybinding: *none*
PHP Function: *closedir*

`'php-template-getcwd'`
Menu: *PHP → Templates → Directory Functions → getcwd*
Keybinding: *none*
PHP Function: *getcwd*

`'php-template-opendir'`
Menu: *PHP → Templates → Directory Functions → opendir*
Keybinding: *none*
PHP Function: *opendir*

`'php-template-readdir'`
Menu: *PHP → Templates → Directory Functions → readdir*
Keybinding: none
PHP Function: readdir

`'php-template-rewinddir'`
Menu: *PHP → Templates → Directory Functions → rewinddir*
Keybinding: none
PHP Function: rewinddir

`'php-template-scandir'`
Menu: *PHP → Templates → Directory Functions → scandir*
Keybinding: none
PHP Function: scandir

8.2.7 Error and Logging

`'php-template-debug-backtrace'`
Menu: *PHP → Templates → Error and Logging → debug_backtrace*
Keybinding: none
PHP Function: debug_backtrace

`'php-template-debug-print-backtrace'`
Menu: *PHP → Templates → Error and Logging → debug_print_backtrace*
Keybinding: none
PHP Function: debug_print_backtrace

`'php-template-error-log'`
Menu: *PHP → Templates → Error and Logging → error_log*
Keybinding: none
PHP Function: error_log

`'php-template-error-reporting'`
Menu: *PHP → Templates → Error and Logging → error_reporting*
Keybinding: none
PHP Function: error_reporting

`'php-template-restore-error-handler'`
Menu: *PHP → Templates → Error and Logging → restore_error_handler*
Keybinding: none
PHP Function: restore_error_handler

`'php-template-restore-exception-handler'`
Menu: *PHP → Templates → Error and Logging → restore_exception_handler*
Keybinding: none
PHP Function: restore_exception_handler

`'php-template-set-error-handler'`
Menu: *PHP → Templates → Error and Logging → set_error_handler*
Keybinding: none
PHP Function: set_error_handler

`'php-template-set-exception-handler'`
Menu: *PHP -> Templates -> Error and Logging -> set_exception_handler*
Keybinding: *none*
PHP Function: *set_exception_handler*

`'php-template-trigger-error'`
Menu: *PHP -> Templates -> Error and Logging -> trigger_error*
Keybinding: *none*
PHP Function: *trigger_error*

`'php-template-user-error'`
Menu: *PHP -> Templates -> Error and Logging -> user_error*
Keybinding: *none*
PHP Function: *user_error*

8.2.8 File System

`'php-template-basename'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> basename*
Keybinding: *none*
PHP Function: *basename*

`'php-template-chgrp'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> chgrp*
Keybinding: *none*
PHP Function: *chgrp*

`'php-template-chmod'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> chmod*
Keybinding: *none*
PHP Function: *chmod*

`'php-template-chown'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> chown*
Keybinding: *none*
PHP Function: *chown*

`'php-template-clearstatcache'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> clearstatcache*
Keybinding: *none*
PHP Function: *clearstatcache*

`'php-template-copy'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> copy*

Keybinding: none
PHP Function: copy

`'php-template-delete'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> delete*
Keybinding: none
PHP Function: delete

`'php-template-dirname'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> dirname*
Keybinding: none
PHP Function: dirname

`'php-template-disk-free-space'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> disk_free_space*
Keybinding: none
PHP Function: disk_free_space

`'php-template-disk-total-space'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> disk_total_space*
Keybinding: none
PHP Function: disk_total_space

`'php-template-diskfreespace'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> diskfreespace*
Keybinding: none
PHP Function: diskfreespace

`'php-template-fclose'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fclose*
Keybinding: none
PHP Function: fclose

`'php-template-feof'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> feof*
Keybinding: none
PHP Function: feof

`'php-template-fflush'`

Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fflush*
Keybinding: none
PHP Function: fflush

`'php-template-fgetc'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgetc*
Keybinding: none
PHP Function: fgetc

`'php-template-fgetcsv'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgetcsv*
Keybinding: none
PHP Function: fgetcsv

`'php-template-fgets'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgets*
Keybinding: none
PHP Function: fgets

`'php-template-fgetss'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> fgetss*
Keybinding: none
PHP Function: fgetss

`'php-template-file-exists'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> file_exists*
Keybinding: none
PHP Function: file_exists

`'php-template-file-get-contents'`
Menu: *PHP -> Templates -> File System -> File System (Basename -> File_get_contents) -> file_get_contents*
Keybinding: none
PHP Function: file_get_contents

`'php-template-file-put-contents'`
Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> file_put_contents*
Keybinding: none
PHP Function: file_put_contents

`'php-template-file'`
Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> file*
Keybinding: none
PHP Function: file

`'php-template-fileatime'`
Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> fileatime*

Keybinding: none
PHP Function: fileatime

‘php-template-filectime’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> filectime*
Keybinding: none
PHP Function: filectime

‘php-template-filegroup’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> filegroup*
Keybinding: none
PHP Function: filegroup

‘php-template-fileinode’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> fileinode*
Keybinding: none
PHP Function: fileinode

‘php-template-filemtime’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> filemtime*
Keybinding: none
PHP Function: filemtime

‘php-template-fileowner’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> fileowner*
Keybinding: none
PHP Function: fileowner

‘php-template-fileperms’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> fileperms*
Keybinding: none
PHP Function: fileperms

‘php-template-filesize’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> filesize*
Keybinding: none
PHP Function: filesize

‘php-template-filetype’

Menu: *PHP -> Templates -> File System -> File System (File_put_contents -> Fseek) -> filetype*
Keybinding: none
PHP Function: filetype

`'php-template-flock'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *flock*
Keybinding: *none*
PHP Function: *flock*

`'php-template-fnmatch'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *fnmatch*
Keybinding: *none*
PHP Function: *fnmatch*

`'php-template-fopen'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *fopen*
Keybinding: *none*
PHP Function: *fopen*

`'php-template-fpassthru'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *fpassthru*
Keybinding: *none*
PHP Function: *fpassthru*

`'php-template-fputcsv'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *fputcsv*
Keybinding: *none*
PHP Function: *fputcsv*

`'php-template-fwrite'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *fputs*
Keybinding: *none*
PHP Function: *fputs*

`'php-template-fread'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *fread*
Keybinding: *none*
PHP Function: *fread*

`'php-template-fseek'`
Menu: *PHP* → *Templates* → *File System* → *File System (File_put_contents*
→ *Fseek)* → *fseek*
Keybinding: *none*
PHP Function: *fseek*

`'php-template-fstat'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat* → *Pathinfo)*
→ *fstat*

Keybinding: none
PHP Function: fstat

‘php-template-ftell’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *ftell*
Keybinding: none
PHP Function: ftell

‘php-template-ftruncate’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *ftruncate*
Keybinding: none
PHP Function: ftruncate

‘php-template-fwrite’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *fwrite*
Keybinding: none
PHP Function: fwrite

‘php-template-glob’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *glob*
Keybinding: none
PHP Function: glob

‘php-template-is-dir’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *is_dir*
Keybinding: none
PHP Function: is_dir

‘php-template-is-executable’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *is_executable*
Keybinding: none
PHP Function: is_executable

‘php-template-is-file’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *is_file*
Keybinding: none
PHP Function: is_file

‘php-template-is-link’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *is_link*
Keybinding: none
PHP Function: is_link

`'php-template-is-readable'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *is_readable*
Keybinding: *none*
PHP Function: *is_readable*

`'php-template-is-uploaded-file'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *is_uploaded_file*
Keybinding: *none*
PHP Function: *is_uploaded_file*

`'php-template-is-writable'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *is_writable*
Keybinding: *none*
PHP Function: *is_writable*

`'php-template-is-writable'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *is_writeable*
Keybinding: *none*
PHP Function: *is_writeable*

`'php-template-link'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *link*
Keybinding: *none*
PHP Function: *link*

`'php-template-linkinfo'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *linkinfo*
Keybinding: *none*
PHP Function: *linkinfo*

`'php-template-lstat'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *lstat*
Keybinding: *none*
PHP Function: *lstat*

`'php-template-mkdir'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *mkdir*
Keybinding: *none*
PHP Function: *mkdir*

`'php-template-move-uploaded-file'`
Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
→ *move_uploaded_file*

Keybinding: none
PHP Function: move_uploaded_file

‘php-template-parse-ini-file’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *parse_ini_file*
Keybinding: none
PHP Function: parse_ini_file

‘php-template-pathinfo’

Menu: *PHP → Templates → File System → File System (Fstat → Pathinfo)*
→ *pathinfo*
Keybinding: none
PHP Function: pathinfo

‘php-template-pclose’

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *pclose*
Keybinding: none
PHP Function: pclose

‘php-template-popen’

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *popen*
Keybinding: none
PHP Function: popen

‘php-template-readfile’

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *readfile*
Keybinding: none
PHP Function: readfile

‘php-template-readlink’

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *readlink*
Keybinding: none
PHP Function: readlink

‘php-template-realpath’

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *realpath*
Keybinding: none
PHP Function: realpath

‘php-template-rename’

Menu: *PHP → Templates → File System → File System (Pclose → Unlink)*
→ *rename*
Keybinding: none
PHP Function: rename

`'php-template-rewind'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *rewind*
Keybinding: *none*
PHP Function: *rewind*

`'php-template-rmdir'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *rmdir*
Keybinding: *none*
PHP Function: *rmdir*

`'php-template-stat'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *stat*
Keybinding: *none*
PHP Function: *stat*

`'php-template-symlink'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *symlink*
Keybinding: *none*
PHP Function: *symlink*

`'php-template-tempnam'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *tempnam*
Keybinding: *none*
PHP Function: *tempnam*

`'php-template-tmpfile'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *tmpfile*
Keybinding: *none*
PHP Function: *tmpfile*

`'php-template-touch'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *touch*
Keybinding: *none*
PHP Function: *touch*

`'php-template-umask'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *umask*
Keybinding: *none*
PHP Function: *umask*

`'php-template-unlink'`
Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
→ *unlink*

Keybinding: none
PHP Function: unlink

8.2.9 Functions

`'php-template-call-user-func-array'`

Menu: *PHP → Templates → Functions → call_user_func_array*
Keybinding: none
PHP Function: call_user_func_array

`'php-template-call-user-func'`

Menu: *PHP → Templates → Functions → call_user_func*
Keybinding: none
PHP Function: call_user_func

`'php-template-create-function'`

Menu: *PHP → Templates → Functions → create_function*
Keybinding: none
PHP Function: create_function

`'php-template-func-get-arg'`

Menu: *PHP → Templates → Functions → func_get_arg*
Keybinding: none
PHP Function: func_get_arg

`'php-template-func-get-args'`

Menu: *PHP → Templates → Functions → func_get_args*
Keybinding: none
PHP Function: func_get_args

`'php-template-func-num-args'`

Menu: *PHP → Templates → Functions → func_num_args*
Keybinding: none
PHP Function: func_num_args

`'php-template-function-exists'`

Menu: *PHP → Templates → Functions → function_exists*
Keybinding: none
PHP Function: function_exists

`'php-template-get-defined-functions'`

Menu: *PHP → Templates → Functions → get_defined_functions*
Keybinding: none
PHP Function: get_defined_functions

`'php-template-register-shutdown-function'`

Menu: *PHP → Templates → Functions → register_shutdown_function*
Keybinding: none
PHP Function: register_shutdown_function

```

‘php-template-register-tick-function’
  Menu: PHP -> Templates -> Functions -> register_tick_function
  Keybinding: none
  PHP Function: register_tick_function

‘php-template-unregister-tick-function’
  Menu: PHP -> Templates -> Functions -> unregister_tick_function
  Keybinding: none
  PHP Function: unregister_tick_function

```

8.2.10 Image

```

‘php-template-gd-info’
  Menu: PHP -> Templates -> Image -> Image (gd_info -> imagecolormatch) -> gd_info
  Keybinding: none
  PHP Function: gd_info

‘php-template-getimagesize’
  Menu: PHP -> Te01-Fu01-Image -> Image -> Image (gd_info -> imagecolormatch) -> getimagesize
  Keybinding: none
  PHP Function: getimagesize

‘php-template-image-type-to-extension’
  Menu: PHP -> Te01-Fu01-Mail -> Image -> Image (gd_info -> imagecolormatch) -> image_type_to_extension
  Keybinding: none
  PHP Function: image_type_to_extension

‘php-template-image-type-to-mime-type’
  Menu: PHP -> Te01-Fu01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> image_type_to_mime_type
  Keybinding: none
  PHP Function: image_type_to_mime_type

‘php-template-image2wbmp’
  Menu: PHP -> Te01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> image2wbmp
  Keybinding: none
  PHP Function: image2wbmp

‘php-template-imagealphablending’
  Menu: PHP -> Templates -> Image -> Image (gd_info -> imagecolormatch) -> imagealphablending
  Keybinding: none
  PHP Function: imagealphablending

‘php-template-imageantialias’
  Menu: PHP -> Te01-Fu01-Image -> Image -> Image (gd_info -> imagecolormatch) -> imageantialias

```

Keybinding: none
PHP Function: imageantialias

‘php-template-imagearc’

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (gd_info -> imagecolor-match) -> imagearc*
Keybinding: none
PHP Function: imagearc

‘php-template-imagechar’

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> imagechar*
Keybinding: none
PHP Function: imagechar

‘php-template-imagecharup’

Menu: *PHP -> Te01-Functions -> Image -> Image (gd_info -> imagecolor-match) -> imagecharup*
Keybinding: none
PHP Function: imagecharup

‘php-template-imagecolorallocate’

Menu: *PHP -> Templates -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorallocate*
Keybinding: none
PHP Function: imagecolorallocate

‘php-template-imagecolorallocatealpha’

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (gd_info -> imagecolor-match) -> imagecolorallocatealpha*
Keybinding: none
PHP Function: imagecolorallocatealpha

‘php-template-imagecolorat’

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (gd_info -> imagecolor-match) -> imagecolorat*
Keybinding: none
PHP Function: imagecolorat

‘php-template-imagecolorclosest’

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorclosest*
Keybinding: none
PHP Function: imagecolorclosest

‘php-template-imagecolorclosestalpha’

Menu: *PHP -> Te01-Functions -> Image -> Image (gd_info -> imagecolor-match) -> imagecolorclosestalpha*
Keybinding: none
PHP Function: imagecolorclosestalpha

- `'php-template-imagecolorclosestwb'`
Menu: *PHP -> Templates -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorclosestwb*
Keybinding: *none*
PHP Function: *imagecolorclosestwb*
- `'php-template-imagecolordeallocate'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (gd_info -> imagecolormatch) -> imagecolordeallocate*
Keybinding: *none*
PHP Function: *imagecolordeallocate*
- `'php-template-imagecolorexact'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorexact*
Keybinding: *none*
PHP Function: *imagecolorexact*
- `'php-template-imagecolorexactalpha'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> imagecolorexactalpha*
Keybinding: *none*
PHP Function: *imagecolorexactalpha*
- `'php-template-imagecolormatch'`
Menu: *PHP -> Te01-Functions -> Image -> Image (gd_info -> imagecolormatch) -> imagecolormatch*
Keybinding: *none*
PHP Function: *imagecolormatch*
- `'php-template-imagecolorresolve'`
Menu: *PHP -> Templates -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorresolve*
Keybinding: *none*
PHP Function: *imagecolorresolve*
- `'php-template-imagecolorresolvealpha'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorresolvealpha*
Keybinding: *none*
PHP Function: *imagecolorresolvealpha*
- `'php-template-imagecolorset'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorset*
Keybinding: *none*
PHP Function: *imagecolorset*
- `'php-template-imagecolorsforindex'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorsforindex*

Keybinding: none
PHP Function: imagecolorsforindex

‘php-template-imagecolorstotal’

Menu: *PHP -> Te01-Functions -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolorstotal*
Keybinding: none
PHP Function: imagecolorstotal

‘php-template-imagecolortransparent’

Menu: *PHP -> Templates -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecolortransparent*
Keybinding: none
PHP Function: imagecolortransparent

‘php-template-imageconvolution’

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imageconvolution*
Keybinding: none
PHP Function: imageconvolution

‘php-template-imagecopy’

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecopy*
Keybinding: none
PHP Function: imagecopy

‘php-template-imagecopymerge’

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecopymerge*
Keybinding: none
PHP Function: imagecopymerge

‘php-template-imagecopymergegray’

Menu: *PHP -> Te01-Functions -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecopymergegray*
Keybinding: none
PHP Function: imagecopymergegray

‘php-template-imagecopyresampled’

Menu: *PHP -> Templates -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecopyresampled*
Keybinding: none
PHP Function: imagecopyresampled

‘php-template-imagecopyresized’

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecolorresolve -> imagecreatefromstring) -> imagecopyresized*
Keybinding: none
PHP Function: imagecopyresized

- `'php-template-imagecreate'`
Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreate*
Keybinding: *none*
PHP Function: *imagecreate*
- `'php-template-imagecreatefromgd2'`
Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgd2*
Keybinding: *none*
PHP Function: *imagecreatefromgd2*
- `'php-template-imagecreatefromgd2part'`
Menu: *PHP → Te01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgd2part*
Keybinding: *none*
PHP Function: *imagecreatefromgd2part*
- `'php-template-imagecreatefromgd'`
Menu: *PHP → Templates → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgd*
Keybinding: *none*
PHP Function: *imagecreatefromgd*
- `'php-template-imagecreatefromgif'`
Menu: *PHP → Te01-Fu01-Image → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromgif*
Keybinding: *none*
PHP Function: *imagecreatefromgif*
- `'php-template-imagecreatefromjpeg'`
Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromjpeg*
Keybinding: *none*
PHP Function: *imagecreatefromjpeg*
- `'php-template-imagecreatefrompng'`
Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefrompng*
Keybinding: *none*
PHP Function: *imagecreatefrompng*
- `'php-template-imagecreatefromstring'`
Menu: *PHP → Te01-Functions → Image → Image (imagecolorresolve → imagecreatefromstring) → imagecreatefromstring*
Keybinding: *none*
PHP Function: *imagecreatefromstring*
- `'php-template-imagecreatefromwbmp'`
Menu: *PHP → Templates → Image → Image (imagecreatefromwbmp → imagegd2) → imagecreatefromwbmp*

Keybinding: none
PHP Function: imagecreatefromwbmp

`'php-template-imagecreatefromxbm'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagecreatefromxbm*
Keybinding: none
PHP Function: imagecreatefromxbm

`'php-template-imagecreatefromxpm'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagecreatefromxpm*
Keybinding: none
PHP Function: imagecreatefromxpm

`'php-template-imagecreatetruecolor'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagecreatetruecolor*
Keybinding: none
PHP Function: imagecreatetruecolor

`'php-template-imagedashedline'`
Menu: *PHP -> Te01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagedashedline*
Keybinding: none
PHP Function: imagedashedline

`'php-template-imagedestroy'`
Menu: *PHP -> Templates -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagedestroy*
Keybinding: none
PHP Function: imagedestroy

`'php-template-imageellipse'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imageellipse*
Keybinding: none
PHP Function: imageellipse

`'php-template-imagefill'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefill*
Keybinding: none
PHP Function: imagefill

`'php-template-imagefilledarc'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefilledarc*
Keybinding: none
PHP Function: imagefilledarc

- `'php-template-imagefilledellipse'`
Menu: *PHP -> Te01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefilledellipse*
Keybinding: *none*
PHP Function: *imagefilledellipse*
- `'php-template-imagefilledpolygon'`
Menu: *PHP -> Templates -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefilledpolygon*
Keybinding: *none*
PHP Function: *imagefilledpolygon*
- `'php-template-imagefilledrectangle'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefilledrectangle*
Keybinding: *none*
PHP Function: *imagefilledrectangle*
- `'php-template-imagefilltoborder'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefilltoborder*
Keybinding: *none*
PHP Function: *imagefilltoborder*
- `'php-template-imagefilter'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefilter*
Keybinding: *none*
PHP Function: *imagefilter*
- `'php-template-imagefontheight'`
Menu: *PHP -> Te01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefontheight*
Keybinding: *none*
PHP Function: *imagefontheight*
- `'php-template-imagefontwidth'`
Menu: *PHP -> Templates -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefontwidth*
Keybinding: *none*
PHP Function: *imagefontwidth*
- `'php-template-imageftbbox'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imageftbbox*
Keybinding: *none*
PHP Function: *imageftbbox*
- `'php-template-imagefttext'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagefttext*

Keybinding: none
PHP Function: imagefttext

`'php-template-imagegammacorrect'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagegammacorrect*
Keybinding: none
PHP Function: imagegammacorrect

`'php-template-imagegd2'`
Menu: *PHP -> Te01-Functions -> Image -> Image (imagecreatefromwbmp -> imagegd2) -> imagegd2*
Keybinding: none
PHP Function: imagegd2

`'php-template-imagegd'`
Menu: *PHP -> Templates -> Image -> Image (imagegd -> imagerotate) -> imagegd*
Keybinding: none
PHP Function: imagegd

`'php-template-imagegif'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagegd -> imagerotate) -> imagegif*
Keybinding: none
PHP Function: imagegif

`'php-template-imageinterlace'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagegd -> imagerotate) -> imageinterlace*
Keybinding: none
PHP Function: imageinterlace

`'php-template-imageistruecolor'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagegd -> imagerotate) -> imageistruecolor*
Keybinding: none
PHP Function: imageistruecolor

`'php-template-imagejpeg'`
Menu: *PHP -> Te01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagejpeg*
Keybinding: none
PHP Function: imagejpeg

`'php-template-imagelayereffect'`
Menu: *PHP -> Templates -> Image -> Image (imagegd -> imagerotate) -> imagelayereffect*
Keybinding: none
PHP Function: imagelayereffect

`'php-template-imageline'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagegd -> imagerotate) -> imageline*
Keybinding: none
PHP Function: imageline

`'php-template-imageloadfont'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagegd -> imagerotate) -> imageloadfont*
Keybinding: none
PHP Function: imageloadfont

`'php-template-imagepalettcopy'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagepalettcopy*
Keybinding: none
PHP Function: imagepalettcopy

`'php-template-imagepng'`
Menu: *PHP -> Te01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagepng*
Keybinding: none
PHP Function: imagepng

`'php-template-imagepolygon'`
Menu: *PHP -> Templates -> Image -> Image (imagegd -> imagerotate) -> imagepolygon*
Keybinding: none
PHP Function: imagepolygon

`'php-template-imagesbbox'`
Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagegd -> imagerotate) -> imagesbbox*
Keybinding: none
PHP Function: imagesbbox

`'php-template-imagesencodefont'`
Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagegd -> imagerotate) -> imagesencodefont*
Keybinding: none
PHP Function: imagesencodefont

`'php-template-imagesextendfont'`
Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagesextendfont*
Keybinding: none
PHP Function: imagesextendfont

`'php-template-imagesfreefont'`
Menu: *PHP -> Te01-Functions -> Image -> Image (imagegd -> imagerotate) -> imagesfreefont*

Keybinding: none
PHP Function: imagepsfreefont

‘php-template-imagepsloadfont’

Menu: *PHP → Templates → Image → Image (imagegd → imagerotate) → imagepsloadfont*
Keybinding: none
PHP Function: imagepsloadfont

‘php-template-imagepslantfont’

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagegd → imagerotate) → imagepslantfont*
Keybinding: none
PHP Function: imagepslantfont

‘php-template-imagepstext’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagegd → imagerotate) → imagepstext*
Keybinding: none
PHP Function: imagepstext

‘php-template-imagerectangle’

Menu: *PHP → Te01-Fu01-Functions → Image → Image (imagegd → imagerotate) → imagerectangle*
Keybinding: none
PHP Function: imagerectangle

‘php-template-imagerotate’

Menu: *PHP → Te01-Functions → Image → Image (imagegd → imagerotate) → imagerotate*
Keybinding: none
PHP Function: imagerotate

‘php-template-imagesavealpha’

Menu: *PHP → Templates → Image → Image (imagesavealpha → png2wbmp) → imagesavealpha*
Keybinding: none
PHP Function: imagesavealpha

‘php-template-imagesetbrush’

Menu: *PHP → Te01-Fu01-Image → Image → Image (imagesavealpha → png2wbmp) → imagesetbrush*
Keybinding: none
PHP Function: imagesetbrush

‘php-template-imagesetpixel’

Menu: *PHP → Te01-Fu01-Mail → Image → Image (imagesavealpha → png2wbmp) → imagesetpixel*
Keybinding: none
PHP Function: imagesetpixel

`'php-template-imagesetstyle'`
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesetstyle*
Keybinding: none
PHP Function: `imagesetstyle`

`'php-template-imagesetthickness'`
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesetthickness*
Keybinding: none
PHP Function: `imagesetthickness`

`'php-template-imagesettile'`
Menu: *PHP* → *Templates* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesettile*
Keybinding: none
PHP Function: `imagesettile`

`'php-template-imagestring'`
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagestring*
Keybinding: none
PHP Function: `imagestring`

`'php-template-imagestringup'`
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagestringup*
Keybinding: none
PHP Function: `imagestringup`

`'php-template-imagesx'`
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesx*
Keybinding: none
PHP Function: `imagesx`

`'php-template-imagesy'`
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesy*
Keybinding: none
PHP Function: `imagesy`

`'php-template-imagetruecolorpalette'`
Menu: *PHP* → *Templates* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagetruecolorpalette*
Keybinding: none
PHP Function: `imagetruecolorpalette`

`'php-template-imagettfbbox'`
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagettfbbox*

Keybinding: none
PHP Function: imagettfbbox

‘php-template-imagettftext’

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagesavealpha -> png2wbmp) -> imagettftext*
Keybinding: none
PHP Function: imagettftext

‘php-template-imagetypes’

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagetypes*
Keybinding: none
PHP Function: imagetypes

‘php-template-imagewbmp’

Menu: *PHP -> Te01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> imagewbmp*
Keybinding: none
PHP Function: imagewbmp

‘php-template-imagexbm’

Menu: *PHP -> Templates -> Image -> Image (imagesavealpha -> png2wbmp) -> imagexbm*
Keybinding: none
PHP Function: imagexbm

‘php-template-iptcembed’

Menu: *PHP -> Te01-Fu01-Image -> Image -> Image (imagesavealpha -> png2wbmp) -> iptcembed*
Keybinding: none
PHP Function: iptcembed

‘php-template-iptcparse’

Menu: *PHP -> Te01-Fu01-Mail -> Image -> Image (imagesavealpha -> png2wbmp) -> iptcparse*
Keybinding: none
PHP Function: iptcparse

‘php-template-jpeg2wbmp’

Menu: *PHP -> Te01-Fu01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> jpeg2wbmp*
Keybinding: none
PHP Function: jpeg2wbmp

‘php-template-png2wbmp’

Menu: *PHP -> Te01-Functions -> Image -> Image (imagesavealpha -> png2wbmp) -> png2wbmp*
Keybinding: none
PHP Function: png2wbmp

8.2.11 Mail

`'php-template-ezmlm-hash'`

Menu: *PHP → Templates → Mail → ezmlm_hash*

Keybinding: *none*

PHP Function: *ezmlm_hash*

`'php-template-mail'`

Menu: *PHP → Templates → Mail → mail*

Keybinding: *none*

PHP Function: *mail*

8.2.12 Mathematical

`'php-template-abs'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → abs*

Keybinding: *none*

PHP Function: *abs*

`'php-template-acos'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → acos*

Keybinding: *none*

PHP Function: *acos*

`'php-template-acosh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → acosh*

Keybinding: *none*

PHP Function: *acosh*

`'php-template-asin'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → asin*

Keybinding: *none*

PHP Function: *asin*

`'php-template-asinh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → asinh*

Keybinding: *none*

PHP Function: *asinh*

`'php-template-atan2'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → atan2*

Keybinding: *none*

PHP Function: *atan2*

`'php-template-atan'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → atan*

Keybinding: *none*

PHP Function: *atan*

`'php-template-atanh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → atanh*

Keybinding: *none*

PHP Function: *atanh*

`'php-template-base-convert'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → base_convert*

Keybinding: *none*

PHP Function: *base_convert*

`'php-template-bindec'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → bindec*

Keybinding: *none*

PHP Function: *bindec*

`'php-template-ceil'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → ceil*

Keybinding: *none*

PHP Function: *ceil*

`'php-template-cos'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → cos*

Keybinding: *none*

PHP Function: *cos*

`'php-template-cosh'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → cosh*

Keybinding: *none*

PHP Function: *cosh*

`'php-template-decbin'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → decbin*

Keybinding: *none*

PHP Function: *decbin*

`'php-template-dechex'`

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → dechex*

Keybinding: none
PHP Function: dechex

‘php-template-decoct’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → decoct*
Keybinding: none
PHP Function: decoct

‘php-template-deg2rad’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → deg2rad*
Keybinding: none
PHP Function: deg2rad

‘php-template-exp’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → exp*
Keybinding: none
PHP Function: exp

‘php-template-expm1’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → expm1*
Keybinding: none
PHP Function: expm1

‘php-template-floor’

Menu: *PHP → Templates → Mathematical → Mathematical (abs → floor) → floor*
Keybinding: none
PHP Function: floor

‘php-template-fmod’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg) → fmod*
Keybinding: none
PHP Function: fmod

‘php-template-getrandmax’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg) → getrandmax*
Keybinding: none
PHP Function: getrandmax

‘php-template-hexdec’

Menu: *PHP → Templates → Mathematical → Mathematical (fmod → rad2deg) → hexdec*
Keybinding: none
PHP Function: hexdec


```
'php-template-hypot'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> hypot  
  Keybinding: none  
  PHP Function: hypot  
  
'php-template-is-finite'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> is_finite  
  Keybinding: none  
  PHP Function: is_finite  
  
'php-template-is-infinite'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> is_infinite  
  Keybinding: none  
  PHP Function: is_infinite  
  
'php-template-is-nan'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> is_nan  
  Keybinding: none  
  PHP Function: is_nan  
  
'php-template-lcg-value'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> lcg_value  
  Keybinding: none  
  PHP Function: lcg_value  
  
'php-template-log10'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> log10  
  Keybinding: none  
  PHP Function: log10  
  
'php-template-log1p'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> log1p  
  Keybinding: none  
  PHP Function: log1p  
  
'php-template-log'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> log  
  Keybinding: none  
  PHP Function: log  
  
'php-template-max'  
  Menu: PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)  
  -> max
```

Keybinding: none
PHP Function: max

‘php-template-min’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *min*
Keybinding: none
PHP Function: min

‘php-template-mt-getrandmax’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *mt_getrandmax*
Keybinding: none
PHP Function: mt_getrandmax

‘php-template-mt-rand’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *mt_rand*
Keybinding: none
PHP Function: mt_rand

‘php-template-mt-srand’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *mt_srand*
Keybinding: none
PHP Function: mt_srand

‘php-template-octdec’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *octdec*
Keybinding: none
PHP Function: octdec

‘php-template-pi’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *pi*
Keybinding: none
PHP Function: pi

‘php-template-pow’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *pow*
Keybinding: none
PHP Function: pow

‘php-template-rad2deg’

Menu: *PHP -> Templates -> Mathematical -> Mathematical (fmod -> rad2deg)*
-> *rad2deg*
Keybinding: none
PHP Function: rad2deg

`'php-template-rand'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> rand

Keybinding: *none*

PHP Function: *rand*

`'php-template-round'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> round

Keybinding: *none*

PHP Function: *round*

`'php-template-sin'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> sin

Keybinding: *none*

PHP Function: *sin*

`'php-template-sinh'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> sinh

Keybinding: *none*

PHP Function: *sinh*

`'php-template-sqrt'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> sqrt

Keybinding: *none*

PHP Function: *sqrt*

`'php-template-srand'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> srand

Keybinding: *none*

PHP Function: *srand*

`'php-template-tan'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> tan

Keybinding: *none*

PHP Function: *tan*

`'php-template-tanh'`

Menu: *PHP -> Templates -> Mathematical -> Mathematical (rand -> tanh)*
-> tanh

Keybinding: *none*

PHP Function: *tanh*

8.2.13 Miscellaneous

`'php-template-connection-aborted'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> connection_aborted*

Keybinding: none

PHP Function: connection_aborted

`'php-template-connection-status'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> connection_status*

Keybinding: none

PHP Function: connection_status

`'php-template-connection-timeout'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> connection_timeout*

Keybinding: none

PHP Function: connection_timeout

`'php-template-constant'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> constant*

Keybinding: none

PHP Function: constant

`'php-template-define'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> define*

Keybinding: none

PHP Function: define

`'php-template-defined'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> defined*

Keybinding: none

PHP Function: defined

`'php-template-die'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> die*

Keybinding: none

PHP Function: die

`'php-template-eval'`

Menu: *PHP -> Templates -> Miscellaneous Functions -> Misc (connection_aborted -> sys_getloadavg) -> eval*

Keybinding: none

PHP Function: eval

- `'php-template-exit'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *exit*
Keybinding: none
PHP Function: exit
- `'php-template-get-browser'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *get_browser*
Keybinding: none
PHP Function: get_browser
- `'php-template-halt-compiler'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *--halt_compiler*
Keybinding: none
PHP Function: --halt_compiler
- `'php-template-highlight-file'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *highlight_file*
Keybinding: none
PHP Function: highlight_file
- `'php-template-highlight-string'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *highlight_string*
Keybinding: none
PHP Function: highlight_string
- `'php-template-ignore-user-abort'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *ignore_user_abort*
Keybinding: none
PHP Function: ignore_user_abort
- `'php-template-pack'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *pack*
Keybinding: none
PHP Function: pack
- `'php-template-php-check-syntax'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *php_check_syntax*
Keybinding: none
PHP Function: php_check_syntax
- `'php-template-php-strip-whitespace'`
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *php_strip_whitespace*

Keybinding: none
PHP Function: php_strip_whitespace

‘php-template-show-source’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → show_source*
Keybinding: none
PHP Function: show_source

‘php-template-sleep’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → sleep*
Keybinding: none
PHP Function: sleep

‘php-template-sys-getloadavg’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (connection_aborted → sys_getloadavg) → sys_getloadavg*
Keybinding: none
PHP Function: sys_getloadavg

‘php-template-time-nanosleep’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → time_nanosleep*
Keybinding: none
PHP Function: time_nanosleep

‘php-template-time-sleep-until’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → time_sleep_until*
Keybinding: none
PHP Function: time_sleep_until

‘php-template-uniqid’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → uniqid*
Keybinding: none
PHP Function: uniqid

‘php-template-unpack’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → unpack*
Keybinding: none
PHP Function: unpack

‘php-template-usleep’

Menu: *PHP → Templates → Miscellaneous Functions → Misc (time_nanosleep → usleep) → usleep*
Keybinding: none
PHP Function: usleep

8.2.14 MySQL

`'php-template-mysql-affected-rows'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_affected_rows*

Keybinding: *none*

PHP Function: *mysql_affected_rows*

`'php-template-mysql-change-user'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_change_user*

Keybinding: *none*

PHP Function: *mysql_change_user*

`'php-template-mysql-client-encoding'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_client_encoding*

Keybinding: *none*

PHP Function: *mysql_client_encoding*

`'php-template-mysql-close'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_close*

Keybinding: *none*

PHP Function: *mysql_close*

`'php-template-mysql-connect'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_connect*

Keybinding: *none*

PHP Function: *mysql_connect*

`'php-template-mysql-create-db'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_create_db*

Keybinding: *none*

PHP Function: *mysql_create_db*

`'php-template-mysql-data-seek'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_data_seek*

Keybinding: *none*

PHP Function: *mysql_data_seek*

`'php-template-mysql-db-name'`

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_db_name*

Keybinding: *none*

PHP Function: *mysql_db_name*

`'php-template-mysql-db-query'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_db_query*
Keybinding: *none*
PHP Function: *mysql_db_query*

`'php-template-mysql-drop-db'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_drop_db*
Keybinding: *none*
PHP Function: *mysql_drop_db*

`'php-template-mysql-errno'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_errno*
Keybinding: *none*
PHP Function: *mysql_errno*

`'php-template-mysql-error'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_error*
Keybinding: *none*
PHP Function: *mysql_error*

`'php-template-mysql-escape-string'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_escape_string*
Keybinding: *none*
PHP Function: *mysql_escape_string*

`'php-template-mysql-fetch-array'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_array*
Keybinding: *none*
PHP Function: *mysql_fetch_array*

`'php-template-mysql-fetch-assoc'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_assoc*
Keybinding: *none*
PHP Function: *mysql_fetch_assoc*

`'php-template-mysql-fetch-field'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_field*
Keybinding: *none*
PHP Function: *mysql_fetch_field*

`'php-template-mysql-fetch-lengths'`
Menu: *PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_fetch_lengths*

Keybinding: none
PHP Function: mysql_fetch_lengths

‘php-template-mysql-fetch-object’

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_fetch_object*
Keybinding: none
PHP Function: mysql_fetch_object

‘php-template-mysql-fetch-row’

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_fetch_row*
Keybinding: none
PHP Function: mysql_fetch_row

‘php-template-mysql-field-flags’

Menu: *PHP -> Templates -> MySQL -> MySQL (Aff -> Field_flags) -> mysql_field_flags*
Keybinding: none
PHP Function: mysql_field_flags

‘php-template-mysql-field-len’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_len*
Keybinding: none
PHP Function: mysql_field_len

‘php-template-mysql-field-name’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_name*
Keybinding: none
PHP Function: mysql_field_name

‘php-template-mysql-field-peek’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_peek*
Keybinding: none
PHP Function: mysql_field_peek

‘php-template-mysql-field-table’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_table*
Keybinding: none
PHP Function: mysql_field_table

‘php-template-mysql-field-type’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_len -> Ping) -> mysql_field_type*
Keybinding: none
PHP Function: mysql_field_type

```
'php-template-mysql-free-result'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_free_result  
  Keybinding: none  
  PHP Function: mysql_free_result  
  
'php-template-mysql-get-client-info'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_get_client_info  
  Keybinding: none  
  PHP Function: mysql_get_client_info  
  
'php-template-mysql-get-host-info'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_get_host_info  
  Keybinding: none  
  PHP Function: mysql_get_host_info  
  
'php-template-mysql-get-proto-info'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_get_proto_info  
  Keybinding: none  
  PHP Function: mysql_get_proto_info  
  
'php-template-mysql-get-server-info'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_get_server_info  
  Keybinding: none  
  PHP Function: mysql_get_server_info  
  
'php-template-mysql-info'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_info  
  Keybinding: none  
  PHP Function: mysql_info  
  
'php-template-mysql-insert-id'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_insert_id  
  Keybinding: none  
  PHP Function: mysql_insert_id  
  
'php-template-mysql-list-dbs'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_list_dbs  
  Keybinding: none  
  PHP Function: mysql_list_dbs  
  
'php-template-mysql-list-fields'  
  Menu: PHP -> Templates -> MySQL -> MySQL (Field.lan -> Ping) ->  
        mysql_list_fields
```

Keybinding: none
PHP Function: mysql_list_fields

‘php-template-mysql-list-processes’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_lan -> Ping) -> mysql_list_processes*
Keybinding: none
PHP Function: mysql_list_processes

‘php-template-mysql-list-tables’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_lan -> Ping) -> mysql_list_tables*
Keybinding: none
PHP Function: mysql_list_tables

‘php-template-mysql-num-fields’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_lan -> Ping) -> mysql_num_fields*
Keybinding: none
PHP Function: mysql_num_fields

‘php-template-mysql-num-rows’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_lan -> Ping) -> mysql_num_rows*
Keybinding: none
PHP Function: mysql_num_rows

‘php-template-mysql-pconnect’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_lan -> Ping) -> mysql_pconnect*
Keybinding: none
PHP Function: mysql_pconnect

‘php-template-mysql-ping’

Menu: *PHP -> Templates -> MySQL -> MySQL (Field_lan -> Ping) -> mysql_ping*
Keybinding: none
PHP Function: mysql_ping

‘php-template-mysql-query’

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_query*
Keybinding: none
PHP Function: mysql_query

‘php-template-mysql-real-escape-string’

Menu: *PHP -> Templates -> MySQL -> MySQL (Query -> Unbuff) -> mysql_real_escape_string*
Keybinding: none
PHP Function: mysql_real_escape_string

`'php-template-mysql-result'`
Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_result*
Keybinding: *none*
PHP Function: *mysql_result*

`'php-template-mysql-select-db'`
Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_select_db*
Keybinding: *none*
PHP Function: *mysql_select_db*

`'php-template-mysql-stat'`
Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_stat*
Keybinding: *none*
PHP Function: *mysql_stat*

`'php-template-mysql-tablename'`
Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_tablename*
Keybinding: *none*
PHP Function: *mysql_tablename*

`'php-template-mysql-thread-id'`
Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_thread_id*
Keybinding: *none*
PHP Function: *mysql_thread_id*

`'php-template-mysql-unbuffered-query'`
Menu: *PHP → Templates → MySQL → MySQL (Query → Unbuff) → mysql_unbuffered_query*
Keybinding: *none*
PHP Function: *mysql_unbuffered_query*

8.2.15 Others

`'php-template-class'`
Menu: *PHP → Templates → Others → class*
Keybinding: *none*
PHP Function: *class*

`'php-template-function'`
Menu: *PHP → Templates → Others → function*
Keybinding: *none*
PHP Function: *function*

8.2.16 Regular Expressions

`'php-template-ereg-replace'`

Menu: *PHP → Templates → Regular Expressions → ereg_replace*

Keybinding: *none*

PHP Function: *ereg_replace*

`'php-template-ereg'`

Menu: *PHP → Templates → Regular Expressions → ereg*

Keybinding: *none*

PHP Function: *ereg*

`'php-template-eregi-replace'`

Menu: *PHP → Templates → Regular Expressions → eregi_replace*

Keybinding: *none*

PHP Function: *eregi_replace*

`'php-template-eregi'`

Menu: *PHP → Templates → Regular Expressions → eregi*

Keybinding: *none*

PHP Function: *eregi*

`'php-template-split'`

Menu: *PHP → Templates → Regular Expressions → split*

Keybinding: *none*

PHP Function: *split*

`'php-template-spliti'`

Menu: *PHP → Templates → Regular Expressions → spliti*

Keybinding: *none*

PHP Function: *spliti*

`'php-template-sql-regex'`

Menu: *PHP → Templates → Regular Expressions → sql_regex*

Keybinding: *none*

PHP Function: *sql_regex*

8.2.17 Session

`'php-template-session-cache-expire'`

Menu: *PHP → Templates → Session → session_cache_expire*

Keybinding: *none*

PHP Function: *session_cache_expire*

`'php-template-session-cache-limiter'`

Menu: *PHP → Templates → Session → session_cache_limiter*

Keybinding: *none*

PHP Function: *session_cache_limiter*

`'php-template-session-commit'`
Menu: *PHP → Templates → Session → session_commit*
Keybinding: *none*
PHP Function: `session_commit`

`'php-template-session-decode'`
Menu: *PHP → Templates → Session → session_decode*
Keybinding: *none*
PHP Function: `session_decode`

`'php-template-session-destroy'`
Menu: *PHP → Templates → Session → session_destroy*
Keybinding: *none*
PHP Function: `session_destroy`

`'php-template-session-encode'`
Menu: *PHP → Templates → Session → session_encode*
Keybinding: *none*
PHP Function: `session_encode`

`'php-template-session-get-cookie-params'`
Menu: *PHP → Templates → Session → session_get_cookie_params*
Keybinding: *none*
PHP Function: `session_get_cookie_params`

`'php-template-session-id'`
Menu: *PHP → Templates → Session → session_id*
Keybinding: *none*
PHP Function: `session_id`

`'php-template-session-is-registered'`
Menu: *PHP → Templates → Session → session_is_registered*
Keybinding: *none*
PHP Function: `session_is_registered`

`'php-template-session-module-name'`
Menu: *PHP → Templates → Session → session_module_name*
Keybinding: *none*
PHP Function: `session_module_name`

`'php-template-session-name'`
Menu: *PHP → Templates → Session → session_name*
Keybinding: *none*
PHP Function: `session_name`

`'php-template-session-regenerate-id'`
Menu: *PHP → Templates → Session → session_regenerate_id*
Keybinding: *none*
PHP Function: `session_regenerate_id`

`'php-template-session-register'`
Menu: *PHP → Templates → Session → session_register*
Keybinding: *none*
PHP Function: `session_register`

`'php-template-session-save-path'`
Menu: *PHP → Templates → Session → session_save_path*
Keybinding: *none*
PHP Function: `session_save_path`

`'php-template-session-set-cookie-params'`
Menu: *PHP → Templates → Session → session_set_cookie_params*
Keybinding: *none*
PHP Function: `session_set_cookie_params`

`'php-template-session-set-save-handler'`
Menu: *PHP → Templates → Session → session_set_save_handler*
Keybinding: *none*
PHP Function: `session_set_save_handler`

`'php-template-session-start'`
Menu: *PHP → Templates → Session → session_start*
Keybinding: *none*
PHP Function: `session_start`

`'php-template-session-unregister'`
Menu: *PHP → Templates → Session → session_unregister*
Keybinding: *none*
PHP Function: `session_unregister`

`'php-template-session-unset'`
Menu: *PHP → Templates → Session → session_unset*
Keybinding: *none*
PHP Function: `session_unset`

`'php-template-session-write-close'`
Menu: *PHP → Templates → Session → session_write_close*
Keybinding: *none*
PHP Function: `session_write_close`

8.2.18 String

`'php-template-addslashes'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → addslashes*
Keybinding: *none*
PHP Function: `addslashes`

`'php-template-addslashes'`
Menu: *PHP → Templates → String → String (addslashes → htmlentities) → addslashes*

Keybinding: none
PHP Function: addslashes

‘php-template-bin2hex’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> bin2hex*
Keybinding: none
PHP Function: bin2hex

‘php-template-chop’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> chop*
Keybinding: none
PHP Function: chop

‘php-template-chr’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> chr*
Keybinding: none
PHP Function: chr

‘php-template-chunk-split’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> chunk_split*
Keybinding: none
PHP Function: chunk_split

‘php-template-convert-cyr-string’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> convert_cyr_string*
Keybinding: none
PHP Function: convert_cyr_string

‘php-template-convert-uunicode’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> convert_uunicode*
Keybinding: none
PHP Function: convert_uunicode

‘php-template-convert-uuencode’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> convert_uuencode*
Keybinding: none
PHP Function: convert_uuencode

‘php-template-count-chars’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> count_chars*
Keybinding: none
PHP Function: count_chars

`'php-template-crc32'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> crc32*
Keybinding: none
PHP Function: `crc32`

`'php-template-crypt'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> crypt*
Keybinding: none
PHP Function: `crypt`

`'php-template-echo'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> echo*
Keybinding: none
PHP Function: `echo`

`'php-template-explode'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> explode*
Keybinding: none
PHP Function: `explode`

`'php-template-fprintf'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> fprintf*
Keybinding: none
PHP Function: `fprintf`

`'php-template-get-html-translation-table'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> get_html_translation_table*
Keybinding: none
PHP Function: `get_html_translation_table`

`'php-template-hebrev'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> hebrev*
Keybinding: none
PHP Function: `hebrev`

`'php-template-hebrevc'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> hebrevc*
Keybinding: none
PHP Function: `hebrevc`

`'php-template-html-entity-decode'`
Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> html_entity_decode*

Keybinding: none
PHP Function: `html_entity_decode`

‘php-template-htmlentities’

Menu: *PHP -> Templates -> String -> String (addslashes -> htmlentities) -> htmlentities*
Keybinding: none
PHP Function: `htmlentities`

‘php-template-htmlspecialchars_decode’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> htmlspecialchars_decode*
Keybinding: none
PHP Function: `htmlspecialchars_decode`

‘php-template-htmlspecialchars’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> htmlspecialchars*
Keybinding: none
PHP Function: `htmlspecialchars`

‘php-template-implode’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> implode*
Keybinding: none
PHP Function: `implode`

‘php-template-join’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> join*
Keybinding: none
PHP Function: `join`

‘php-template-levenshtein’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> levenshtein*
Keybinding: none
PHP Function: `levenshtein`

‘php-template-localeconv’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> localeconv*
Keybinding: none
PHP Function: `localeconv`

‘php-template-ltrim’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> ltrim*
Keybinding: none
PHP Function: `ltrim`

`'php-template-md5-file'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> md5_file*

Keybinding: *none*

PHP Function: *md5_file*

`'php-template-md5'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> md5*

Keybinding: *none*

PHP Function: *md5*

`'php-template-metaphone'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> metaphone*

Keybinding: *none*

PHP Function: *metaphone*

`'php-template-money-format'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> money_format*

Keybinding: *none*

PHP Function: *money_format*

`'php-template-nl-langinfo'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> nl_langinfo*

Keybinding: *none*

PHP Function: *nl_langinfo*

`'php-template-nl2br'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> nl2br*

Keybinding: *none*

PHP Function: *nl2br*

`'php-template-number-format'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> number_format*

Keybinding: *none*

PHP Function: *number_format*

`'php-template-ord'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> ord*

Keybinding: *none*

PHP Function: *ord*

`'php-template-parse-str'`

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> parse_str*

Keybinding: none
PHP Function: parse_str

‘php-template-print’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> print*
Keybinding: none
PHP Function: print

‘php-template-printf’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> printf*
Keybinding: none
PHP Function: printf

‘php-template-quoted-printable-decode’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> quoted_printable_decode*
Keybinding: none
PHP Function: quoted_printable_decode

‘php-template-quotemeta’

Menu: *PHP -> Templates -> String -> String (htmlspecialchars_decode -> quotemeta) -> quotemeta*
Keybinding: none
PHP Function: quotemeta

‘php-template-rtrim’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> rtrim*
Keybinding: none
PHP Function: rtrim

‘php-template-setlocale’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> setlocale*
Keybinding: none
PHP Function: setlocale

‘php-template-sha1-file’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> sha1_file*
Keybinding: none
PHP Function: sha1_file

‘php-template-sha1’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> sha1*
Keybinding: none
PHP Function: sha1

‘php-template-similar-text’

Menu: *PHP -> Templates -> String -> String (rtrim -> strcoll) -> similar_text*
Keybinding: none
PHP Function: similar_text

`'php-template-soundex'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *soundex*
Keybinding: none
PHP Function: `soundex`

`'php-template-sprintf'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *sprintf*
Keybinding: none
PHP Function: `sprintf`

`'php-template-sscanf'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *sscanf*
Keybinding: none
PHP Function: `sscanf`

`'php-template-str-ireplace'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_ireplace*
Keybinding: none
PHP Function: `str_ireplace`

`'php-template-str-pad'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_pad*
Keybinding: none
PHP Function: `str_pad`

`'php-template-str-repeat'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_repeat*
Keybinding: none
PHP Function: `str_repeat`

`'php-template-str-replace'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_replace*
Keybinding: none
PHP Function: `str_replace`

`'php-template-str-rot13'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_rot13*
Keybinding: none
PHP Function: `str_rot13`

`'php-template-str-shuffle'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_shuffle*
Keybinding: none
PHP Function: `str_shuffle`

`'php-template-str-split'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_split*
Keybinding: none
PHP Function: `str_split`

`'php-template-str-word-count'`
Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll)* → *str_word_count*

Keybinding: none
PHP Function: str_word_count

‘php-template-strcasecmp’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strcmp*
Keybinding: none
PHP Function: strcmp

‘php-template-strchr’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strchr*
Keybinding: none
PHP Function: strchr

‘php-template-strcmp’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strcmp*
Keybinding: none
PHP Function: strcmp

‘php-template-strcoll’
Menu: *PHP → Templates → String → String (rtrim → strcoll) → strcoll*
Keybinding: none
PHP Function: strcoll

‘php-template-strcspn’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strcspn*
Keybinding: none
PHP Function: strcspn

‘php-template-strip-tags’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strip_tags*
Keybinding: none
PHP Function: strip_tags

‘php-template-stripslashes’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strip-slashes*
Keybinding: none
PHP Function: stripslashes

‘php-template-strip-positions’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strip-positions*
Keybinding: none
PHP Function: strip-positions

‘php-template-strip-slashes’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strip-slashes*
Keybinding: none
PHP Function: strip-slashes

‘php-template-stristr’
Menu: *PHP → Templates → String → String (strcspn → strtok) → strstr*
Keybinding: none
PHP Function: strstr

- `'php-template-strlen'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strlen*
Keybinding: none
PHP Function: strlen
- `'php-template-strnatcasecmp'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strnatcasecmp*
Keybinding: none
PHP Function: strnatcasecmp
- `'php-template-strnatcmp'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strnatcmp*
Keybinding: none
PHP Function: strnatcmp
- `'php-template-strncasecmp'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strncasecmp*
Keybinding: none
PHP Function: strncasecmp
- `'php-template-strncmp'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strncmp*
Keybinding: none
PHP Function: strncmp
- `'php-template-strpbrk'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strpbrk*
Keybinding: none
PHP Function: strpbrk
- `'php-template-strpos'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strpos*
Keybinding: none
PHP Function: strpos
- `'php-template-strrchr'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strrchr*
Keybinding: none
PHP Function: strrchr
- `'php-template-strrev'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → strrev*
Keybinding: none
PHP Function: strrev
- `'php-template-stripos'`
Menu: *PHP → Templates → String → String (strcspn → strtok) → stripos*
Keybinding: none
PHP Function: stripos

`'php-template-strrpos'`
Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strrpos*
Keybinding: *none*
PHP Function: `strrpos`

`'php-template-strspn'`
Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strspn*
Keybinding: *none*
PHP Function: `strspn`

`'php-template-strstr'`
Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strstr*
Keybinding: *none*
PHP Function: `strstr`

`'php-template-strtok'`
Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strtok*
Keybinding: *none*
PHP Function: `strtok`

`'php-template-strtolower'`
Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → strtolower*
Keybinding: *none*
PHP Function: `strtolower`

`'php-template-strtoupper'`
Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → strtoupper*
Keybinding: *none*
PHP Function: `strtoupper`

`'php-template-strtr'`
Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → strtr*
Keybinding: *none*
PHP Function: `strtr`

`'php-template-substr-compare'`
Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → substr_compare*
Keybinding: *none*
PHP Function: `substr_compare`

`'php-template-substr-count'`
Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → substr_count*
Keybinding: *none*
PHP Function: `substr_count`

`'php-template-substr-replace'`
Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → substr_replace*

Keybinding: none
PHP Function: substr_replace

‘php-template-substr’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> substr*
Keybinding: none
PHP Function: substr

‘php-template-trim’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> trim*
Keybinding: none
PHP Function: trim

‘php-template-ucfirst’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> ucfirst*
Keybinding: none
PHP Function: ucfirst

‘php-template-ucwords’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> ucwords*
Keybinding: none
PHP Function: ucwords

‘php-template-vfprintf’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> fprintf*
Keybinding: none
PHP Function: fprintf

‘php-template-vprintf’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> printf*
Keybinding: none
PHP Function: printf

‘php-template-vsprintf’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> sprintf*
Keybinding: none
PHP Function: sprintf

‘php-template-wordwrap’

Menu: *PHP -> Templates -> String -> String (strtolower -> wordwrap) -> wordwrap*
Keybinding: none
PHP Function: wordwrap

8.2.19 Variable

`'php-template-debug-zval-dump'`

Menu: *PHP → Templates → Variable → debug_zval_dump*

Keybinding: *none*

PHP Function: `debug_zval_dump`

`'php-template-doubleval'`

Menu: *PHP → Templates → Variable → doubleval*

Keybinding: *none*

PHP Function: `doubleval`

`'php-template-empty'`

Menu: *PHP → Templates → Variable → empty*

Keybinding: *none*

PHP Function: `empty`

`'php-template-floatval'`

Menu: *PHP → Templates → Variable → floatval*

Keybinding: *none*

PHP Function: `floatval`

`'php-template-get-defined-vars'`

Menu: *PHP → Templates → Variable → get_defined_vars*

Keybinding: *none*

PHP Function: `get_defined_vars`

`'php-template-get-resource-type'`

Menu: *PHP → Templates → Variable → get_resource_type*

Keybinding: *none*

PHP Function: `get_resource_type`

`'php-template-gettype'`

Menu: *PHP → Templates → Variable → gettype*

Keybinding: *none*

PHP Function: `gettype`

`'php-template-import-request-variables'`

Menu: *PHP → Templates → Variable → import_request_variables*

Keybinding: *none*

PHP Function: `import_request_variables`

`'php-template-intval'`

Menu: *PHP → Templates → Variable → intval*

Keybinding: *none*

PHP Function: `intval`

`'php-template-is-array'`

Menu: *PHP → Templates → Variable → is_array*

Keybinding: *none*

PHP Function: `is_array`

`'php-template-is-bool'`
Menu: *PHP → Templates → Variable → is_bool*
Keybinding: *none*
PHP Function: *is_bool*

`'php-template-is-callable'`
Menu: *PHP → Templates → Variable → is_callable*
Keybinding: *none*
PHP Function: *is_callable*

`'php-template-is-double'`
Menu: *PHP → Templates → Variable → is_double*
Keybinding: *none*
PHP Function: *is_double*

`'php-template-is-float'`
Menu: *PHP → Templates → Variable → is_float*
Keybinding: *none*
PHP Function: *is_float*

`'php-template-is-int'`
Menu: *PHP → Templates → Variable → is_int*
Keybinding: *none*
PHP Function: *is_int*

`'php-template-is-integer'`
Menu: *PHP → Templates → Variable → is_integer*
Keybinding: *none*
PHP Function: *is_integer*

`'php-template-is-long'`
Menu: *PHP → Templates → Variable → is_long*
Keybinding: *none*
PHP Function: *is_long*

`'php-template-is-null'`
Menu: *PHP → Templates → Variable → is_null*
Keybinding: *none*
PHP Function: *is_null*

`'php-template-is-numeric'`
Menu: *PHP → Templates → Variable → is_numeric*
Keybinding: *none*
PHP Function: *is_numeric*

`'php-template-is-object'`
Menu: *PHP → Templates → Variable → is_object*
Keybinding: *none*
PHP Function: *is_object*

`'php-template-is-real'`
Menu: *PHP → Templates → Variable → is_real*
Keybinding: *none*
PHP Function: *is_real*

`'php-template-is-resource'`
Menu: *PHP → Templates → Variable → is_resource*
Keybinding: *none*
PHP Function: *is_resource*

`'php-template-is-scalar'`
Menu: *PHP → Templates → Variable → is_scalar*
Keybinding: *none*
PHP Function: *is_scalar*

`'php-template-is-string'`
Menu: *PHP → Templates → Variable → is_string*
Keybinding: *none*
PHP Function: *is_string*

`'php-template-isset'`
Menu: *PHP → Templates → Variable → isset*
Keybinding: *none*
PHP Function: *isset*

`'php-template-print-r'`
Menu: *PHP → Templates → Variable → print_r*
Keybinding: *none*
PHP Function: *print_r*

`'php-template-serialize'`
Menu: *PHP → Templates → Variable → serialize*
Keybinding: *none*
PHP Function: *serialize*

`'php-template-settype'`
Menu: *PHP → Templates → Variable → settype*
Keybinding: *none*
PHP Function: *settype*

`'php-template-strval'`
Menu: *PHP → Templates → Variable → strval*
Keybinding: *none*
PHP Function: *strval*

`'php-template-unserialize'`
Menu: *PHP → Templates → Variable → unserialize*
Keybinding: *none*
PHP Function: *unserialize*

`'php-template-unset'`
Menu: *PHP* → *Templates* → *Variable* → *unset*
Keybinding: *none*
PHP Function: `unset`

`'php-template-var-dump'`
Menu: *PHP* → *Templates* → *Variable* → *var_dump*
Keybinding: *none*
PHP Function: `var_dump`

`'php-template-var-export'`
Menu: *PHP* → *Templates* → *Variable* → *var_export*
Keybinding: *none*
PHP Function: `var_export`

8.2.20 XML

`'php-template-utf8-decode'`
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *utf8_decode*
Keybinding: *none*
PHP Function: `utf8_decode`

`'php-template-utf8-encode'`
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *utf8_encode*
Keybinding: *none*
PHP Function: `utf8_encode`

`'php-template-xml-error-string'`
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_error_string*
Keybinding: *none*
PHP Function: `xml_error_string`

`'php-template-xml-get-current-byte-index'`
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_get_current_byte_index*
Keybinding: *none*
PHP Function: `xml_get_current_byte_index`

`'php-template-xml-get-current-column-number'`
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_get_current_column_number*
Keybinding: *none*
PHP Function: `xml_get_current_column_number`

`'php-template-xml-get-current-line-number'`
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_get_current_line_number*

Keybinding: none
PHP Function: xml_get_current_line_number

‘php-template-xml-get-error-code’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_get_error_code*
Keybinding: none
PHP Function: xml_get_error_code

‘php-template-xml-parse-into-struct’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_parse_into_struct*
Keybinding: none
PHP Function: xml_parse_into_struct

‘php-template-xml-parse’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_parse*
Keybinding: none
PHP Function: xml_parse

‘php-template-xml-parser-create-ns’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_parser_create_ns*
Keybinding: none
PHP Function: xml_parser_create_ns

‘php-template-xml-parser-create’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_parser_create*
Keybinding: none
PHP Function: xml_parser_create

‘php-template-xml-parser-free’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_parser_free*
Keybinding: none
PHP Function: xml_parser_free

‘php-template-xml-parser-get-option’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_parser_get_option*
Keybinding: none
PHP Function: xml_parser_get_option

‘php-template-xml-parser-set-option’
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* →
xml_set_notation_decl_handler) → *xml_parser_set_option*
Keybinding: none
PHP Function: xml_parser_set_option

`'php-template-xml-set-character-data-handler'`
Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_set_character_data_handler*
Keybinding: *none*
PHP Function: *xml_set_character_data_handler*

`'php-template-xml-set-default-handler'`
Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_set_default_handler*
Keybinding: *none*
PHP Function: *xml_set_default_handler*

`'php-template-xml-set-element-handler'`
Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_set_element_handler*
Keybinding: *none*
PHP Function: *xml_set_element_handler*

`'php-template-xml-set-end-namespace-decl-handler'`
Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_set_end_namespace_decl_handler*
Keybinding: *none*
PHP Function: *xml_set_end_namespace_decl_handler*

`'php-template-xml-set-external-entity-ref-handler'`
Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_set_external_entity_ref_handler*
Keybinding: *none*
PHP Function: *xml_set_external_entity_ref_handler*

`'php-template-xml-set-notation-decl-handler'`
Menu: *PHP -> Templates -> XML -> XML (utf8_decode -> xml_set_notation_decl_handler) -> xml_set_notation_decl_handler*
Keybinding: *none*
PHP Function: *xml_set_notation_decl_handler*

`'php-template-xml-set-object'`
Menu: *PHP -> Templates -> XML -> XML (xml_set_object -> xml_set_unparsed_entity_decl_handler) -> xml_set_object*
Keybinding: *none*
PHP Function: *xml_set_object*

`'php-template-xml-set-processing-instruction-handler'`
Menu: *PHP -> Templates -> XML -> XML (xml_set_object -> xml_set_unparsed_entity_decl_handler) -> xml_set_processing_instruction_handler*

Keybinding: *none*
PHP Function: *xml_set_processing_instruction_handler*

`'php-template-xml-set-start-namespace-decl-handler'`
Menu: *PHP -> Templates -> XML -> XML (xml_set_object -> xml_set_unparsed_entity_decl_handler) -> xml_set_start_namespace_decl_handler*

Keybinding: *none*

PHP Function: `xml_set_start_namespace_decl_handler`

`'php-template-xml-set-unparsed-entity-decl-handler'`

Menu: *PHP → Templates → XML → XML (xml_set_object → xml_set_unparsed_entity_decl_handler) → xml_set_unparsed_entity_decl_handler*

Keybinding: *none*

PHP Function: `xml_set_unparsed_entity_decl_handler`

8.2.21 Non-PHP Functions

`'php-template-header'`

Menu: *PHP → Templates → Insert Header*

Keybinding: *none*

Description: This function is used to insert a header in the current buffer.

`'php-template-footer'`

Menu: *PHP → Templates → Insert Footer*

Keybinding: *none*

Description: This function is used to insert a footer in the current buffer.

`'php-template-insert-date'`

Menu: *PHP → Templates → Insert Date*

Keybinding: *none*

Description: This function is used to insert the date in the current buffer.

`'php-template-modify'`

Menu: *PHP → Templates → Modify Date*

Keybinding: *none*

Description: This function is used to modify the last modification date in the current buffer.

9 Bugs, Help

- To report bugs: [Bugtracker](#)
- To obtain help you can post on the dedicated forum: [Forum](#)

Index

.		M	
.NET	14	Mail	52
A		Mathematical	52
Apache	14	Menu	4, 9
Array Functions	16	Menu Index	9
B		Menu PHP	9
Bugs	87	Menu Sources	10
C		Miscellaneous	7, 58
Completion	11	Mode	4, 8
Control Structures	24	MySQL	61
Customization	9, 10, 11, 12, 13, 14	N	
D		Non-PHP Functions	86
Date/Time Functions	26	O	
Directory Functions	28	Others	66
E		P	
Error and Logging	29	Paramters	4
F		PHPDocumentor	7
File System	30	R	
Functions	7, 9, 10, 12, 13, 14, 39	Regular Expressions	67
H		S	
Header	5	Session	67
Help	87	String	69
I		Stuttering	13
Image	40	Style	7
Indentation	12	T	
		Templates	5, 14
		V	
		Variable	80
		X	
		XML	83

Customizations variables Index

php-add-fclose-with-fopen	5	php-include-in-parenthesis	5
php-add-mysql-close-when-connect	5	php-indent-tabs-mode	4, 12
php-basic-offset	7, 12	php-index-menu	4, 9
php-class-tags	7	php-index-menu-auto-rescan	4, 9
php-compay-name	6	php-intelligent-tab	7, 11
php-copyright-string	6	php-modify-date-on-saving	6
php-date-format	6	php-modify-date-prefix-string	6
php-electric-mode	4, 14	php-source-file-menu	5, 10
php-enable-phpdocumentor-tags	7	php-stutter-mode	4, 13
php-file-footer	6	php-word-completion-case-sensitive	7, 11
php-file-header	5	php-word-completion-in-minibuffer	7, 11
php-function-tags	7		

Functions Index

I

indent-according-to-mode 12

P

php-add-source-files-menu 10
 php-doc-mode 9
 php-electric-mode 8
 php-indent-buffer 12
 php-indent-region 12
 php-show-messages 9
 php-stutter-mode 8
 php-template-abs 52
 php-template-acos 52
 php-template-acosh 52
 php-template-addslashes 69
 php-template-addslashes 69
 php-template-apache-child-terminate 14
 php-template-apache-get-modules 14
 php-template-apache-get-version 14
 php-template-apache-getenv 14
 php-template-apache-lookup-uri 15
 php-template-apache-note 15
 php-template-apache-request-headers 15
 php-template-apache-reset-timeout 15
 php-template-apache-response-headers 15
 php-template-apache-setenv 15
 php-template-array 21
 php-template-array-change-key-case 16
 php-template-array-chunk 16
 php-template-array-combine 16
 php-template-array-count-values 16
 php-template-array-diff 17
 php-template-array-diff-assoc 16
 php-template-array-diff-key 16
 php-template-array-diff-uassoc 16
 php-template-array-diff-ukey 16
 php-template-array-exists 18
 php-template-array-fill 17
 php-template-array-filter 17
 php-template-array-flip 17
 php-template-array-intersect 18
 php-template-array-intersect-assoc 17
 php-template-array-intersect-key 17
 php-template-array-intersect-uassoc 17
 php-template-array-intersect-ukey 17
 php-template-array-keys 18
 php-template-array-map 18
 php-template-array-merge 18
 php-template-array-merge-recursive 18
 php-template-array-multisort 18
 php-template-array-pad 18
 php-template-array-pop 18
 php-template-array-product 19

php-template-array-push 19
 php-template-array-rand 19
 php-template-array-reduce 19
 php-template-array-reverse 19
 php-template-array-search 19
 php-template-array-shift 19
 php-template-array-slice 19
 php-template-array-splice 20
 php-template-array-sum 20
 php-template-array-udiff 20
 php-template-array-udiff-assoc 20
 php-template-array-udiff-uassoc 20
 php-template-array-uintersect 20
 php-template-array-uintersect-assoc 20
 php-template-array-uintersect-uassoc 20
 php-template-array-unique 20
 php-template-array-unshift 21
 php-template-array-values 21
 php-template-array-walk 21
 php-template-array-walk-recursive 21
 php-template-arsort 21
 php-template-ascii2ebcdic 15
 php-template-asin 52
 php-template-asinh 52
 php-template-asort 21
 php-template-atan 52
 php-template-atan2 52
 php-template-atanh 53
 php-template-base-convert 53
 php-template-basename 30
 php-template-bin2hex 70
 php-template-bindec 53
 php-template-break 24
 php-template-call-user-func 39
 php-template-call-user-func-array 39
 php-template-ceil 53
 php-template-chdir 28
 php-template-checkdate 26
 php-template-chgrp 30
 php-template-chmod 30
 php-template-chop 70
 php-template-chown 30
 php-template-chr 70
 php-template-chroot 28
 php-template-chunk-split 70
 php-template-class 66
 php-template-clearstatcache 30
 php-template-closedir 28
 php-template-compact 21
 php-template-connection-aborted 58
 php-template-connection-status 58
 php-template-connection-timeout 58
 php-template-constant 58
 php-template-continue 24
 php-template-convert-cyr-string 70

php-template-convert-uudecode	70	php-template-fgetc	31
php-template-convert-uencode	70	php-template-fgetcsv	32
php-template-copy	30	php-template-fgets	32
php-template-cos	53	php-template-fgetss	32
php-template-cosh	53	php-template-file	32
php-template-count	22	php-template-file-exists	32
php-template-count-chars	70	php-template-file-get-contents	32
php-template-crc32	70	php-template-file-put-contents	32
php-template-create-function	39	php-template-fileatime	32
php-template-crypt	71	php-template-filectime	33
php-template-current	22	php-template-filegroup	33
php-template-date	26	php-template-fileinode	33
php-template-date-default-timezone-get	26	php-template-filemtime	33
php-template-date-default-timezone-set	26	php-template-fileowner	33
php-template-date-sunrise	26	php-template-fileperms	33
php-template-date-sunset	26	php-template-filesize	33
php-template-debug-backtrace	29	php-template-filetype	33
php-template-debug-print-backtrace	29	php-template-floatval	80
php-template-debug-zval-dump	80	php-template-flock	33
php-template-decbin	53	php-template-floor	54
php-template-dechex	53	php-template-fmod	54
php-template-decoct	54	php-template-fnmatch	34
php-template-define	58	php-template-footer	86
php-template-defined	58	php-template-fopen	34
php-template-deg2rad	54	php-template-for	25
php-template-delete	31	php-template-foreach	25
php-template-die	58	php-template-fpassthru	34
php-template-dir	28	php-template-fprintf	71
php-template-dirname	31	php-template-fputcsv	34
php-template-disk-free-space	31	php-template-fread	34
php-template-disk-total-space	31	php-template-fseek	34
php-template-diskfreespace	31	php-template-fstat	34
php-template-do-while	25	php-template-ftell	35
php-template-dotnet-load	14	php-template-fttruncate	35
php-template-doubleval	80	php-template-func-get-arg	39
php-template-each	22	php-template-func-get-args	39
php-template-ebcdic2ascii	15	php-template-func-num-args	39
php-template-echo	71	php-template-function	66
php-template-else	25	php-template-function-exists	39
php-template-elseif	25	php-template-fwrite	34
php-template-empty	80	php-template-fwrite	35
php-template-end	22	php-template-gd-info	40
php-template-ereg	67	php-template-get-browser	59
php-template-ereg-replace	67	php-template-get-defined-functions	39
php-template-eregi	67	php-template-get-defined-vars	80
php-template-eregi-replace	67	php-template-get-html-translation-table	71
php-template-error-log	29	php-template-get-resource-type	80
php-template-error-reporting	29	php-template-getallheaders	15
php-template-eval	58	php-template-getcwd	28
php-template-exit	58	php-template-getdate	27
php-template-exp	54	php-template-getimagesize	40
php-template-explode	71	php-template-getrandmax	54
php-template-expm1	54	php-template-gettimeofday	27
php-template-extract	22	php-template-gettype	80
php-template-ezmlm-hash	52	php-template-glob	35
php-template-fclose	31	php-template-gmtime	27
php-template-feof	31	php-template-gmmktime	27
php-template-fflush	31	php-template-gmstrftime	27

php-template-halt-compiler	59	php-template-imagedestroy	45
php-template-header	86	php-template-imageellipse	45
php-template-hebrev	71	php-template-imagefill	45
php-template-hebrevc	71	php-template-imagefilledarc	45
php-template-hexdec	54	php-template-imagefilledellipse	45
php-template-highlight-file	59	php-template-imagefilledpolygon	46
php-template-highlight-string	59	php-template-imagefilledrectangle	46
php-template-html-entity-decode	71	php-template-imagefilltoborder	46
php-template-htmleentities	72	php-template-imagefilter	46
php-template-htmlspecialchars	72	php-template-imagefontheight	46
php-template-htmlspecialchars-decode	72	php-template-imagefontwidth	46
php-template-hypot	54	php-template-imageftbbox	46
php-template-idate	27	php-template-imagefttext	46
php-template-if	25	php-template-imagegammacorrect	47
php-template-ignore-user-abort	59	php-template-imagegd	47
php-template-image-type-to-extension	40	php-template-imagegd2	47
php-template-image-type-to-mime-type	40	php-template-imagegif	47
php-template-image2wbmp	40	php-template-imageinterlace	47
php-template-imagealphablending	40	php-template-imageistruecolor	47
php-template-imageantialias	40	php-template-imagejpeg	47
php-template-imagearc	41	php-template-imagelayereffect	47
php-template-imagechar	41	php-template-imageLine	47
php-template-imagecharup	41	php-template-imageLoadfont	48
php-template-imagecolorallocate	41	php-template-imagepalettecopy	48
php-template-imagecolorallocatealpha	41	php-template-imagepng	48
php-template-imagecolorat	41	php-template-imagepolygon	48
php-template-imagecolorclosest	41	php-template-imagepsbbox	48
php-template-imagecolorclosestalpha	41	php-template-imagepsencodefont	48
php-template-imagecolorclosesthwb	41	php-template-imagepsextendfont	48
php-template-imagecolordeallocate	42	php-template-imagepsfreefont	48
php-template-imagecolorexact	42	php-template-imagepsloadfont	49
php-template-imagecolorexactalpha	42	php-template-imagepslantfont	49
php-template-imagecolormatch	42	php-template-imagepstext	49
php-template-imagecolorresolve	42	php-template-imagerectangle	49
php-template-imagecolorresolvealpha	42	php-template-imagerotate	49
php-template-imagecolorset	42	php-template-imagesavealpha	49
php-template-imagecolorsforindex	42	php-template-imagesetbrush	49
php-template-imagecolorstotal	43	php-template-imagesetpixel	49
php-template-imagecolortransparent	43	php-template-imagesetstyle	49
php-template-imageconvolution	43	php-template-imagesetthickness	50
php-template-imagecopy	43	php-template-imagesettile	50
php-template-imagecopymerge	43	php-template-imagestring	50
php-template-imagecopymergegray	43	php-template-imagestringup	50
php-template-imagecopyresampled	43	php-template-imagesx	50
php-template-imagecopyresized	43	php-template-imagesy	50
php-template-imagecreate	43	php-template-imagetruecolorpalette	50
php-template-imagecreatefromgd	44	php-template-imagettfbbox	50
php-template-imagecreatefromgd2	44	php-template-imagetftftext	51
php-template-imagecreatefromgd2part	44	php-template-imagetypes	51
php-template-imagecreatefromgif	44	php-template-imagewbmp	51
php-template-imagecreatefromjpeg	44	php-template-imagexbm	51
php-template-imagecreatefrompng	44	php-template-implode	72
php-template-imagecreatefromstring	44	php-template-import-request-variables	80
php-template-imagecreatefromwbmp	44	php-template-in-array	22
php-template-imagecreatefromxbm	45	php-template-include	25
php-template-imagecreatefromxpm	45	php-template-include-once	25
php-template-imagecreatetruecolor	45	php-template-insert-date	86
php-template-imagedashedline	45	php-template-intval	80

php-template-iptcembed	51	php-template-mt-rand	56
php-template-iptcparse	51	php-template-mt-srand	56
php-template-is-array	80	php-template-mysql-affected-rows	61
php-template-is-bool	80	php-template-mysql-change-user	61
php-template-is-callable	81	php-template-mysql-client-encoding	61
php-template-is-dir	35	php-template-mysql-close	61
php-template-is-double	81	php-template-mysql-connect	61
php-template-is-executable	35	php-template-mysql-create-db	61
php-template-is-file	35	php-template-mysql-data-seek	61
php-template-is-finite	55	php-template-mysql-db-name	61
php-template-is-float	81	php-template-mysql-db-query	61
php-template-is-infinite	55	php-template-mysql-drop-db	62
php-template-is-int	81	php-template-mysql-errno	62
php-template-is-integer	81	php-template-mysql-error	62
php-template-is-link	35	php-template-mysql-escape-string	62
php-template-is-long	81	php-template-mysql-fetch-array	62
php-template-is-nan	55	php-template-mysql-fetch-assoc	62
php-template-is-null	81	php-template-mysql-fetch-field	62
php-template-is-numeric	81	php-template-mysql-fetch-lengths	62
php-template-is-object	81	php-template-mysql-fetch-object	63
php-template-is-readable	35	php-template-mysql-fetch-row	63
php-template-is-real	81	php-template-mysql-field-flags	63
php-template-is-resource	82	php-template-mysql-field-len	63
php-template-is-scalar	82	php-template-mysql-field-name	63
php-template-is-string	82	php-template-mysql-field-peek	63
php-template-is-uploaded-file	36	php-template-mysql-field-table	63
php-template-is-writable	36	php-template-mysql-field-type	63
php-template-isset	82	php-template-mysql-free-result	63
php-template-join	72	php-template-mysql-get-client-info	64
php-template-jpeg2wbmp	51	php-template-mysql-get-host-info	64
php-template-key	22	php-template-mysql-get-proto-info	64
php-template-krsort	22	php-template-mysql-get-server-info	64
php-template-ksort	22	php-template-mysql-info	64
php-template-lcg-value	55	php-template-mysql-insert-id	64
php-template-levenshtein	72	php-template-mysql-list-dbs	64
php-template-link	36	php-template-mysql-list-fields	64
php-template-linkinfo	36	php-template-mysql-list-processes	65
php-template-list	23	php-template-mysql-list-tables	65
php-template-localeconv	72	php-template-mysql-num-fields	65
php-template-localtime	27	php-template-mysql-num-rows	65
php-template-log	55	php-template-mysql-pconnect	65
php-template-log10	55	php-template-mysql-ping	65
php-template-logip	55	php-template-mysql-query	65
php-template-lstat	36	php-template-mysql-real-escape-string	65
php-template-ltrim	72	php-template-mysql-result	65
php-template-mail	52	php-template-mysql-select-db	66
php-template-max	55	php-template-mysql-stat	66
php-template-md5	73	php-template-mysql-tablename	66
php-template-md5-file	72	php-template-mysql-thread-id	66
php-template-metaphone	73	php-template-mysql-unbuffered-query	66
php-template-microtime	27	php-template-natcasesort	23
php-template-min	56	php-template-natsort	23
php-template-mkdir	36	php-template-next	23
php-template-mktime	27	php-template-nl-langinfo	73
php-template-modify	86	php-template-nl2br	73
php-template-money-format	73	php-template-number-format	73
php-template-move-uploaded-file	36	php-template-octdec	56
php-template-mt-getrandmax	56	php-template-opendir	28

php-template-ord	73	php-template-session-set-save-handler	69
php-template-pack	59	php-template-session-start	69
php-template-parse-ini-file	37	php-template-session-unregister	69
php-template-parse-str	73	php-template-session-unset	69
php-template-pathinfo	37	php-template-session-write-close	69
php-template-pclose	37	php-template-set-error-handler	29
php-template-php-check-syntax	59	php-template-set-exception-handler	29
php-template-php-strip-whitespace	59	php-template-setlocale	74
php-template-pi	56	php-template-settype	82
php-template-png2wbmp	51	php-template-sha1	74
php-template-popen	37	php-template-sha1-file	74
php-template-pos	23	php-template-show-source	60
php-template-pow	56	php-template-shuffle	24
php-template-prev	23	php-template-similar-text	74
php-template-print	74	php-template-sin	57
php-template-print-r	82	php-template-sinh	57
php-template-printf	74	php-template-sizeof	24
php-template-quoted-printable-decode	74	php-template-sleep	60
php-template-quotemeta	74	php-template-sort	24
php-template-rad2deg	56	php-template-soundex	74
php-template-rand	56	php-template-split	67
php-template-range	23	php-template-spliti	67
php-template-readdir	28	php-template-sprintf	75
php-template-readfile	37	php-template-sql-regex	67
php-template-readlink	37	php-template-sqrt	57
php-template-realpath	37	php-template-srand	57
php-template-register-shutdown-function	39	php-template-sscanf	75
php-template-register-tick-function	39	php-template-stat	38
php-template-rename	37	php-template-str-ireplace	75
php-template-require	25	php-template-str-pad	75
php-template-require-once	25	php-template-str-repeat	75
php-template-reset	23	php-template-str-replace	75
php-template-restore-error-handler	29	php-template-str-rot13	75
php-template-restore-exception-handler	29	php-template-str-shuffle	75
php-template-return	26	php-template-str-split	75
php-template-rewind	37	php-template-str-word-count	75
php-template-rewinddir	29	php-template-strcasecmp	76
php-template-rmdir	38	php-template-strchr	76
php-template-round	57	php-template-strcmp	76
php-template-rsort	24	php-template-strcmp	76
php-template-rtrim	74	php-template-strcsfn	76
php-template-scandir	29	php-template-strftime	27
php-template-serialize	82	php-template-strip-tags	76
php-template-session-cache-expire	67	php-template-stripclashes	76
php-template-session-cache-limiter	67	php-template-stripos	76
php-template-session-commit	67	php-template-stripslashes	76
php-template-session-decode	68	php-template-stristr	76
php-template-session-destroy	68	php-template-strlen	76
php-template-session-encode	68	php-template-strnatcasecmp	77
php-template-session-get-cookie-params	68	php-template-strnatcmp	77
php-template-session-id	68	php-template-strncasecmp	77
php-template-session-is-registered	68	php-template-strncmp	77
php-template-session-module-name	68	php-template-strpbrk	77
php-template-session-name	68	php-template-strpos	77
php-template-session-regenerate-id	68	php-template-strptime	28
php-template-session-register	68	php-template-strrchr	77
php-template-session-save-path	69	php-template-strev	77
php-template-session-set-cookie-params	69	php-template-stripos	77

php-template-strrpos	77	php-template-utf8-encode	83
php-template-strspn	78	php-template-var-dump	83
php-template-strstr	78	php-template-var-export	83
php-template-strtok	78	php-template-vfprintf	79
php-template-strtolower	78	php-template-virtual	15
php-template-strtotime	28	php-template-vprintf	79
php-template-strtoupper	78	php-template-vsprintf	79
php-template-strtr	78	php-template-while	26
php-template-strval	82	php-template-wordwrap	79
php-template-substr	79	php-template-xml-error-string	83
php-template-substr-compare	78	php-template-xml-get-current-byte-index ..	83
php-template-substr-count	78	php-template-xml-get-current-column-number	
php-template-substr-replace	78	83
php-template-switch	26	php-template-xml-get-current-line-number	
php-template-symlink	38	83
php-template-sys-getloadavg	60	php-template-xml-get-error-code	84
php-template-tan	57	php-template-xml-parse	84
php-template-tanh	57	php-template-xml-parse-into-struct	84
php-template-tempnam	38	php-template-xml-parser-create	84
php-template-time	28	php-template-xml-parser-create-ns	84
php-template-time-nanosleep	60	php-template-xml-parser-free	84
php-template-time-sleep-until	60	php-template-xml-parser-get-option	84
php-template-tmpfile	38	php-template-xml-parser-set-option	84
php-template-touch	38	php-template-xml-set-character-data-handler	
php-template-trigger-error	30	84
php-template-trim	79	php-template-xml-set-default-handler	85
php-template-uasort	24	php-template-xml-set-element-handler	85
php-template-ucfirst	79	php-template-xml-set-end-namespace-decl-	
php-template-ucwords	79	handler	85
php-template-uksort	24	php-template-xml-set-external-entity-ref-	
php-template-umask	38	handler	85
php-template-uniqid	60	php-template-xml-set-notation-decl-handler	
php-template-unlink	38	85
php-template-unpack	60	php-template-xml-set-object	85
php-template-unregister-tick-function	40	php-template-xml-set-processing-	
php-template-unserialize	82	instruction-handler	85
php-template-unset	82	php-template-xml-set-start-namespace-decl-	
php-template-user-error	30	handler	85
php-template-usleep	60	php-template-xml-set-unparsed-entity-decl-	
php-template-usort	24	handler	86
php-template-utf8-decode	83	php-version	9

Stuttering Index

(..... 13	; 13
) 13	} } 13
* 13	E <i>ENTER</i> 13
; 13	S <i>SPACE</i> 13

PHP Index

-	
__halt_compiler	59
A	
abs	52
acos	52
acosh	52
addslashes	69
addslashes	69
apache_child_terminate	14
apache_get_modules	14
apache_get_version	14
apache_getenv	14
apache_lookup_uri	15
apache_note	15
apache_request_headers	15
apache_reset_timeout	15
apache_response_headers	15
apache_setenv	15
array	21
array_change_key_case	16
array_chunk	16
array_combine	16
array_count_values	16
array_diff	17
array_diff_assoc	16
array_diff_key	16
array_diff_uassoc	16
array_diff_ukey	16
array_fill	17
array_filter	17
array_flip	17
array_intersect	18
array_intersect_assoc	17
array_intersect_key	17
array_intersect_uassoc	17
array_intersect_ukey	17
array_key_exists	18
array_keys	18
array_map	18
array_merge	18
array_merge_recursive	18
array_multisort	18
array_pad	18
array_pop	18
array_product	19
array_push	19
array_rand	19
array_reduce	19
array_reverse	19
array_search	19
array_shift	19
array_slice	19
array_splice	20
array_sum	20
array_udiff	20
array_udiff_assoc	20
array_udiff_uassoc	20
array_uintersect	20
array_uintersect_assoc	20
array_uintersect_uassoc	20
array_unique	20
array_unshift	21
array_values	21
array_walk	21
array_walk_recursive	21
arsort	21
ascii2ebcdic	15
asin	52
asinh	52
asort	21
atan	52
atan2	52
atanh	53
B	
base_convert	53
basename	30
bin2hex	70
bindec	53
break	24
C	
call_user_func	39
call_user_func_array	39
ceil	53
chdir	28
checkdate	26
chgrp	30
chmod	30
chop	70
chown	30
chr	70
chroot	28
chunk_split	70
class	66
clearstatcache	30
closedir	28
compact	21
connection_aborted	58
connection_status	58
connection_timeout	58
constant	58
continue	24
convert_cyr_string	70
convert_uudecode	70

convert_uuencode	70
copy	30
cos	53
cosh	53
count	22
count_chars	70
crc32	70
create_function	39
crypt	71
current	22

D

date	26
date_default_timezone_get	26
date_default_timezone_set	26
date_sunrise	26
date_sunset	26
debug_backtrace	29
debug_print_backtrace	29
debug_zval_dump	80
decbin	53
dechex	53
decoct	54
define	58
defined	58
deg2rad	54
delete	31
die	58
dir	28
dirname	31
disk_free_space	31
disk_total_space	31
diskfreespace	31
do-while	25
dotnet_load	14
doubleval	80

E

each	22
ebcdic2ascii	15
echo	71
else	25
elseif	25
empty	80
end	22
ereg	67
ereg_replace	67
eregi	67
eregi_replace	67
error_log	29
error_reporting	29
eval	58
exit	58
exp	54
explode	71
expm1	54

extract	22
ezmlm_hash	52

F

fclose	31
feof	31
fflush	31
fgetc	31
fgetcsv	32
fgets	32
fgetss	32
file	32
file_exists	32
file_get_contents	32
file_put_contents	32
fileatime	32
filectime	33
filegroup	33
fileinode	33
filemtime	33
fileowner	33
fileperms	33
filesize	33
filetype	33
floatval	80
flock	33
floor	54
fmod	54
fnmatch	34
fopen	34
for	25
foreach	25
fpassthru	34
fprintf	71
fputcsv	34
fputs	34
fread	34
fseek	34
fstat	34
ftell	35
ftruncate	35
func_get_arg	39
func_get_args	39
func_num_args	39
function	66
function_exists	39
fwrite	35

G

gd_info	40
get_browser	59
get_defined_functions	39
get_defined_vars	80
get_html_translation_table	71
get_resource_type	80
getallheaders	15
getcwd	28
getdate	27
getimagesize	40
getrandmax	54
gettimeofday	27
gettype	80
glob	35
gmdate	27
gmmktime	27
gmstrftime	27

H

hebrew	71
hebrevc	71
hexdec	54
highlight_file	59
highlight_string	59
html_entity_decode	71
htmlentities	72
htmlspecialchars	72
htmlspecialchars_decode	72
hypot	54

I

idate	27
if	25
ignore_user_abort	59
image_type_to_extension	40
image_type_to_mime_type	40
image2wbmp	40
imagealphablending	40
imageantialias	40
imagearc	41
imagechar	41
imagecharup	41
imagecolorallocate	41
imagecolorallocatealpha	41
imagecolorat	41
imagecolorclosest	41
imagecolorclosestalpha	41
imagecolorclosesthwb	41
imagecolordeallocate	42
imagecolorexact	42
imagecolorexactalpha	42
imagecolormatch	42
imagecolorresolve	42
imagecolorresolvealpha	42
imagecolorset	42

imagecolorsforindex	42
imagecolorstotal	43
imagecolortransparent	43
imageconvolution	43
imagecopy	43
imagecopymerge	43
imagecopymergegray	43
imagecopyresampled	43
imagecopyresized	43
imagecreate	43
imagecreatefromgd	44
imagecreatefromgd2	44
imagecreatefromgd2part	44
imagecreatefromgif	44
imagecreatefromjpeg	44
imagecreatefrompng	44
imagecreatefromstring	44
imagecreatefromwbmp	44
imagecreatefromxbm	45
imagecreatefromxpm	45
imagecreatetruecolor	45
imagedashedline	45
imagedestroy	45
imageellipse	45
imagefill	45
imagefilledarc	45
imagefilledellipse	45
imagefilledpolygon	46
imagefilledrectangle	46
imagefilltoborder	46
imagefilter	46
imagefontheight	46
imagefontwidth	46
imageftbbox	46
imagefttext	46
imagegammacorrect	47
imagegd	47
imagegd2	47
imagegif	47
imageinterlace	47
imageistruecolor	47
imagejpeg	47
imagelayereffect	47
imageline	47
imageloadfont	48
imagepalettecopy	48
imagepng	48
imagepolygon	48
imagepsbbox	48
imagepsencodefont	48
imagepsextendfont	48
imagepsfreefont	48
imagepsloadfont	49
imagepslantfont	49
imagepstext	49
imagerectangle	49
imagerotate	49
imagesavealpha	49

- imagebrush 49
- imagepixel 49
- imagestyle 49
- imagethickness 50
- imagetile 50
- imagestring 50
- imagestringup 50
- imagesx 50
- imagesy 50
- imagetruecolortopalette 50
- imagebbox 50
- imagebbox 50
- imagetypes 51
- imagebmp 51
- imagebm 51
- implode 72
- import_request_variables 80
- in_array 22
- include 25
- include_once 25
- intval 80
- iptcembed 51
- iptcparse 51
- is_array 80
- is_bool 80
- is_callable 81
- is_dir 35
- is_double 81
- is_executable 35
- is_file 35
- is_finite 55
- is_float 81
- is_infinite 55
- is_int 81
- is_integer 81
- is_link 35
- is_long 81
- is_nan 55
- is_null 81
- is_numeric 81
- is_object 81
- is_readable 35
- is_real 81
- is_resource 82
- is_scalar 82
- is_string 82
- is_uploaded_file 36
- is_writable 36
- is_writeable 36
- isset 82

J

- join 72
- jpeg2wbmp 51

K

- key 22
- krsort 22
- ksort 22

L

- lcg_value 55
- levenshtein 72
- link 36
- linkinfo 36
- list 23
- localeconv 72
- localtime 27
- log 55
- log10 55
- log1p 55
- lstat 36
- ltrim 72

M

- mail 52
- max 55
- md5 73
- md5_file 72
- metaphone 73
- microtime 27
- min 56
- mkdir 36
- mktime 27
- money_format 73
- move_uploaded_file 36
- mt_getrandmax 56
- mt_rand 56
- mt_srand 56
- mysql_affected_rows 61
- mysql_change_user 61
- mysql_client_encoding 61
- mysql_close 61
- mysql_connect 61
- mysql_create_db 61
- mysql_data_seek 61
- mysql_db_name 61
- mysql_db_query 61
- mysql_drop_db 62
- mysql_errno 62
- mysql_error 62
- mysql_escape_string 62
- mysql_fetch_array 62
- mysql_fetch_assoc 62
- mysql_fetch_field 62
- mysql_fetch_lengths 62
- mysql_fetch_object 63
- mysql_fetch_row 63
- mysql_field_flags 63
- mysql_field_len 63
- mysql_field_name 63

mysql_field_seek 63
 mysql_field_table 63
 mysql_field_type 63
 mysql_free_result 63
 mysql_get_client_info 64
 mysql_get_host_info 64
 mysql_get_proto_info 64
 mysql_get_server_info 64
 mysql_info 64
 mysql_insert_id 64
 mysql_list_dbs 64
 mysql_list_fields 64
 mysql_list_processes 65
 mysql_list_tables 65
 mysql_num_fields 65
 mysql_num_rows 65
 mysql_pconnect 65
 mysql_ping 65
 mysql_query 65
 mysql_real_escape_string 65
 mysql_result 65
 mysql_select_db 66
 mysql_stat 66
 mysql_tablename 66
 mysql_thread_id 66
 mysql_unbuffered_query 66

N

natcasesort 23
 natsort 23
 next 23
 nl_langinfo 73
 nl2br 73
 number_format 73

O

octdec 56
 opendir 28
 ord 73

P

pack 59
 parse_ini_file 37
 parse_str 73
 pathinfo 37
 pclose 37
 php_check_syntax 59
 php_strip_whitespace 59
 pi 56
 png2wbmp 51
 popen 37
 pos 23
 pow 56
 prev 23
 print 74

print_r 82
 printf 74

Q

quoted_printable_decode 74
 quotemeta 74

R

rad2deg 56
 rand 56
 range 23
 readdir 28
 readfile 37
 readlink 37
 realpath 37
 register_shutdown_function 39
 register_tick_function 39
 rename 37
 require 25
 require_once 25
 reset 23
 restore_error_handler 29
 restore_exception_handler 29
 return 26
 rewind 37
 rewinddir 29
 rmdir 38
 round 57
 rsort 24
 rtrim 74

S

scandir 29
 serialize 82
 session_cache_expire 67
 session_cache_limiter 67
 session_commit 67
 session_decode 68
 session_destroy 68
 session_encode 68
 session_get_cookie_params 68
 session_id 68
 session_is_registered 68
 session_module_name 68
 session_name 68
 session_regenerate_id 68
 session_register 68
 session_save_path 69
 session_set_cookie_params 69
 session_set_save_handler 69
 session_start 69
 session_unregister 69
 session_unset 69
 session_write_close 69
 set_error_handler 29

set_exception_handler	29	strtoupper	78
setlocale	74	strtr	78
settype	82	strval	82
sha1	74	substr	79
sha1_file	74	substr_compare	78
show_source	60	substr_count	78
shuffle	24	substr_replace	78
similar_text	74	switch	26
sin	57	symlink	38
sinh	57	sys_getloadavg	60
sizeof	24		
sleep	60	T	
sort	24	tan	57
soundex	74	tanh	57
split	67	tempnam	38
spliti	67	time	28
sprintf	75	time_nanosleep	60
sql_regcase	67	time_sleep_until	60
sqrt	57	tmpfile	38
srand	57	touch	38
sscanf	75	trigger_error	30
stat	38	trim	79
str_ireplace	75		
str_pad	75	U	
str_repeat	75	uasort	24
str_replace	75	ucfirst	79
str_rot13	75	ucwords	79
str_shuffle	75	uksort	24
str_split	75	umask	38
str_word_count	75	uniqid	60
strcasecmp	76	unlink	38
strchr	76	unpack	60
strcmp	76	unregister_tick_function	40
strcoll	76	unserialize	82
strcspn	76	unset	82
strftime	27	user_error	30
strip_tags	76	usleep	60
stripslashes	76	usort	24
stripos	76	utf8_decode	83
stripslashes	76	utf8_encode	83
stristr	76		
strlen	76	V	
strnatcasecmp	77	var_dump	83
strnatcmp	77	var_export	83
strncasecmp	77	vfprintf	79
strncmp	77	virtual	15
strpbrk	77	vprintf	79
strpos	77	vsprintf	79
strptime	28		
strrchr	77	W	
strrev	77	while	26
stripos	77	wordwrap	79
strrpos	77		
strspn	78		
strstr	78		
strtok	78		
strtolower	78		
strtotime	28		

X

xml_error_string	83	xml_parser_get_option	84
xml_get_current_byte_index	83	xml_parser_set_option	84
xml_get_current_column_number	83	xml_set_character_data_handler	84
xml_get_current_line_number	83	xml_set_default_handler	85
xml_get_error_code	84	xml_set_element_handler	85
xml_parse	84	xml_set_end_namespace_decl_handler	85
xml_parse_into_struct	84	xml_set_external_entity_ref_handler	85
xml_parser_create	84	xml_set_notation_decl_handler	85
xml_parser_create_ns	84	xml_set_object	85
xml_parser_free	84	xml_set_processing_instruction_handler	85
		xml_set_start_namespace_decl_handler	85
		xml_set_unparsed_entity_decl_handler	86

Short Contents

1	Introduction	1
2	Installation	2
3	Customization	4
4	Menus	9
5	Completion	11
6	Indentation	12
7	Stuttering	13
8	Templates	14
9	Bugs, Help	87
	Index	88
	Customizations variables Index	89
	Functions Index	90
	Stuttering Index	96
	PHP Index	97

Table of Contents

1	Introduction	1
2	Installation	2
2.1	Requirements	2
2.2	Download	2
2.3	Installation	2
2.3.1	Installation	2
2.3.2	Update	2
2.4	Invoke PHP-Mode	3
3	Customization	4
3.1	Parameters	4
3.1.1	Mode	4
3.1.2	Menu	4
3.1.3	Templates	5
3.1.3.1	Header	5
3.1.4	Style	6
3.1.5	PHPDocumentor	7
3.1.6	Miscellaneous	7
3.2	Functions	7
3.2.1	Mode	7
4	Menus	9
4.1	PHP	9
4.1.1	Functions	9
4.2	Index	9
4.2.1	Customization	9
4.3	Sources	10
4.3.1	Customization	10
4.3.2	Functions	10
5	Completion	11
5.1	Customization	11
6	Indentation	12
6.1	Customization	12
6.2	Functions	12
7	Stuttering	13
7.1	Customization	13
7.2	Functions	13

8	Templates	14
8.1	Customization	14
8.2	Functions	14
8.2.1	.NET	14
8.2.2	Apache	14
8.2.3	Array Functions	16
8.2.4	Control Structures	24
8.2.5	Date/Time Functions	26
8.2.6	Directory Functions	28
8.2.7	Error and Logging	29
8.2.8	File System	30
8.2.9	Functions	39
8.2.10	Image	40
8.2.11	Mail	51
8.2.12	Mathematical	52
8.2.13	Miscellaneous	57
8.2.14	MySQL	60
8.2.15	Others	66
8.2.16	Regular Expressions	66
8.2.17	Session	67
8.2.18	String	69
8.2.19	Variable	79
8.2.20	XML	83
8.2.21	Non-PHP Functions	86
9	Bugs, Help	87
	Index	88
	Customizations variables Index	89
	Functions Index	90
	Stuttering Index	96
	PHP Index	97